

# AXOR



The prices stated are non-binding net price recommendations without the locally applicable VAT. This must be incorporated into calculations when quoting for a non-binding price recommendation for consumers. Errors and omissions excepted. Upon publication of this price list, all previously published price lists are no longer valid. Figures given for dimensional drawings are in mm. When installing the products, please follow the instructions in the installation manual. All products are subject to availability. The availability may be temporarily impacted by material shortages, interruptions in the supply chain or other force majeure events. Please contact us for further details.

The following general terms and conditions apply: <https://www.hansgrohe.com/terms-of-conditions>



# Contents

AXOR SHOWERCOMPOSITION	11
AXOR SUITE BASINS & BATHTUB	23
AXOR DRAIN	31
AXOR ONE   AXOR UNIVERSAL CIRCULAR ACCESSORIES MATT WHITE	39
AXOR MY EDITION	73
AXOR UNIVERSAL RECTANGULAR ACCESSORIES	95

## AXOR Finishes



Chrome  
-000



Matt Black  
-670



Matt White  
-700

The lacquered Matt Black and Matt White finishes are only available for a selected range of AXOR products.

## AXOR FinishPlus - the refinement of the unique

The exclusive surface finishes from AXOR FinishPlus set new standards, from the lacquered Matt Black surface to Polished Gold Optic and Brushed Black Chrome. Surfaces of exceptional brilliance, robustness, and durability, manufactured in Germany to the highest technical standards – from single pieces to large quantities.

AXOR FinishPlus PVD surface finishes have character. Each color is the result of intensive development and refined in AXOR's vacuum chambers using the PVD (physical vapor deposition) process. An electric arc discharges in the high vacuum, gases combine with zirconium. The mixture hits the faucet's chrome surface. This high-tech process gives the surface unprecedented brilliance and high resistance to scratches, cleaning agents, and the salt of the sea air.



AVAILABLE IN QUANTITIES OF 1 OR MORE



Brushed Brass  
-950




Polished Gold  
Optic  
-990



Brushed Gold  
Optic  
-250



Brushed Bronze  
-140



Polished Red Gold  
-300



Brushed Red Gold  
-310



Brushed Nickel  
-820



Stainless Steel  
Optic  
-800




Polished Black  
Chrome  
-330



Brushed Black  
Chrome  
-340

AVAILABLE IN QUANTITIES OF 30 OR MORE



Polished Chrome  
-020



Brushed Chrome  
-260



Polished Nickel  
-830



Polished Bronze  
-130



Polished Brass  
-930

In addition to the exclusive AXOR FinishPlus surfaces, individual colors of one's choice are possible via AXOR Signature. The options are almost unlimited. To turn a special product into something unique, a feasibility test is first carried out by AXOR's experts.



## Code Numbers and Trade Prices (HG = hansgrohe, AX = AXOR)

brand	Code no.	EAN	page	brand	Code no.	EAN	page
<b>01</b>				AX	28228330	4059625477052	22
AX	01005180	4059625482810	35	AX	28228340	4059625477045	22
AX	01006180	4059625482803	35	AX	28228670	4059625477021	22
AX	01007180	4059625482797	35	AX	28228700	4059625477007	22
<b>10</b>				AX	28228800	4059625476987	22
AX	10303180	4011097342597	83	AX	28228820	4059625476970	22
AX	10452180	4011097254104	48	AX	28228950	4059625476963	22
<b>12</b>				AX	28228990	4059625476956	22
AX	12571000	4059625450338	15	AX	28259000	4059625476369	20
AX	12571670	4059625489215	15	AX	28259140	4059625476635	20
AX	12572000	4059625450314	18	AX	28259250	4059625476628	20
AX	12572670	4059625489208	18	AX	28259300	4059625476611	20
AX	12573000	4059625450291	18	AX	28259310	4059625476604	20
AX	12573670	4059625489192	18	AX	28259330	4059625476352	20
AX	12592000	4059625450277	14	AX	28259340	4059625476345	20
AX	12592670	4059625489185	14	AX	28259670	4059625476338	20
AX	12593000	4059625450253	15	AX	28259700	4059625476321	20
AX	12593670	4059625489178	15	AX	28259800	4059625476598	20
AX	12594000	4059625450239	15	AX	28259820	4059625476581	20
AX	12594670	4059625489161	15	AX	28259950	4059625476574	20
AX	12595000	4059625450215	16	AX	28259990	4059625476567	20
AX	12595670	4059625489154	16	AX	28261000	4059625476550	22
AX	12596000	4059625450192	17	AX	28261140	4059625476871	22
AX	12596670	4059625489147	17	AX	28261250	4059625476864	22
AX	12676180	4059625450178	16	AX	28261300	4059625476857	22
<b>13</b>				AX	28261310	4059625476840	22
AX	13586000	4059625032220	46	AX	28261330	4059625476543	22
AX	13594000	4011097702100	62	AX	28261340	4059625476536	22
AX	13610700	4059625464946	57	AX	28261670	4059625476529	22
AX	13611700	4059625464922	57	AX	28261700	4059625476512	22
AX	13623180	4059625032213	46	AX	28261800	4059625476802	22
AX	13625180	4059625329764	45	AX	28261820	4059625476796	22
<b>15</b>				AX	28261950	4059625476789	22
AX	15480180	4059625077498	86	AX	28261990	4059625476505	22
<b>16</b>				AX	28282700	4059625346587	60
AX	16180180	4011097678894	62	AX	28286700	4059625468890	60
<b>18</b>				AX	28290000	4059625476314	20
AX	18310180	4059625036082	18	AX	28290140	4059625476307	20
AX	18311180	4059625036099	18	AX	28290250	4059625476291	20
AX	18312180	4059625037805	18	AX	28290300	4059625476284	20
<b>26</b>				AX	28290310	4059625476277	20
AX	26434180	4059625032176	54	AX	28290330	4059625476260	20
<b>28</b>				AX	28290340	4059625476253	20
AX	28227000	4059625476765	21	AX	28290670	4059625476246	20
AX	28227140	4059625476758	21	AX	28290700	4059625476239	20
AX	28227250	4059625476741	21	AX	28290800	4059625476222	20
AX	28227300	4059625476734	21	AX	28290820	4059625476215	20
AX	28227310	4059625476727	21	AX	28290950	4059625476208	20
AX	28227330	4059625476710	21	AX	28290990	4059625472590	20
AX	28227340	4059625476703	21	AX	28291000	4059625476499	21
AX	28227670	4059625476697	21	AX	28291140	4059625476482	21
AX	28227700	4059625476680	21	AX	28291250	4059625476475	21
AX	28227800	4059625476673	21	AX	28291300	4059625476468	21
AX	28227820	4059625476666	21	AX	28291310	4059625476451	21
AX	28227950	4059625476659	21	AX	28291330	4059625476444	21
AX	28227990	4059625476642	21	AX	28291340	4059625476437	21
AX	28228000	4059625477113	22	AX	28291670	4059625476420	21
AX	28228140	4059625477090	22	AX	28291700	4059625476413	21
AX	28228250	4059625477083	22	AX	28291800	4059625476406	21
AX	28228300	4059625477076	22	AX	28291820	4059625476390	21
AX	28228310	4059625477069	22	AX	28291950	4059625476383	21

## Code Numbers and Trade Prices (HG = hansgrohe, AX = AXOR)

brand	Code no.	EAN	page	brand	Code no.	EAN	page
AX	28291990	4059625476376	21	AX	42523000	4059625480625	35
<b>35</b>				AX	42523140		35
AX	35361180	4059625184639	14	AX	42523340		35
<b>38</b>				AX	42523670	4059625480540	35
AX	38010700	4059625468791	61	AX	42523700	4059625480519	35
AX	38119700	4059625468784	62	AX	42523800	4059625458754	35
AX	38120700	4059625468777	62	AX	42523990		35
AX	38411700	4059625468760	63	AX	42524000	4059625480441	35
AX	38412700	4059625468753	64	AX	42524140		35
AX	38959000	4011097705101	43	AX	42524340		35
AX	38960000	4011097704647	44	AX	42524670	4059625480366	35
<b>42</b>				AX	42524700	4059625480335	35
AX	42000000	4059625450475	26	AX	42524800	4059625480304	35
AX	42000140		26	AX	42524990		35
AX	42000340		26	AX	42525000	4059625480250	36
AX	42000670		26	AX	42525140		36
AX	42001000	4059625450451	26	AX	42525340		36
AX	42001140		26	AX	42525670	4059625481141	36
AX	42001340		26	AX	42525700	4059625481110	36
AX	42001670		26	AX	42525800	4059625481080	36
AX	42002000	4059625450437	27	AX	42525990		36
AX	42002140		27	AX	42526000	4059625481035	36
AX	42002340		27	AX	42526140		36
AX	42002670		27	AX	42526340		36
AX	42003000	4059625450413	27	AX	42526670	4059625480953	36
AX	42003140		27	AX	42526700	4059625480922	36
AX	42003340		27	AX	42526800	4059625469217	36
AX	42003670		27	AX	42526990		36
AX	42004000	4059625450390	27	AX	42527000	4059625480854	36
AX	42004140		27	AX	42527140		36
AX	42004340		27	AX	42527340		36
AX	42004670		27	AX	42527670	4059625480779	36
AX	42005000	4059625450376	29	AX	42527700	4059625480748	36
AX	42005140		29	AX	42527800	4059625480717	36
AX	42005340		29	AX	42527990		36
AX	42005670		29	AX	42528000	4059625481646	36
AX	42006000	4059625450352	28	AX	42528140		36
AX	42006140		28	AX	42528340		36
AX	42006340		28	AX	42528670	4059625481561	36
AX	42006670		28	AX	42528700	4059625481530	36
AX	42520000	4059625480212	34	AX	42528800	4059625454831	36
AX	42520140		34	AX	42528990		36
AX	42520340		34	AX	42529000	4059625481462	37
AX	42520670	4059625480137	34	AX	42529140		37
AX	42520700	4059625480106	34	AX	42529340		37
AX	42520800	4059625480076	34	AX	42529670	4059625481387	37
AX	42520990		34	AX	42529700	4059625481356	37
AX	42521000	4059625480021	34	AX	42529800	4059625481325	37
AX	42521140		34	AX	42529990		37
AX	42521340		34	AX	42604000	4059625422502	98
AX	42521670	4059625479940	34	AX	42604140	4059625422489	98
AX	42521700	4059625479919	34	AX	42604340	4059625422434	98
AX	42521800	4059625469224	34	AX	42604670	4059625422410	98
AX	42521990		34	AX	42604820	4059625422380	98
AX	42522000	4059625479841	34	AX	42604990	4059625422359	98
AX	42522140		34	AX	42605000	4059625422335	98
AX	42522340		34	AX	42605140	4059625422311	98
AX	42522670	4059625479759	34	AX	42605340	4059625422267	98
AX	42522700	4059625480694	34	AX	42605670	4059625422243	98
AX	42522800	4059625454824	34	AX	42605820	4059625422212	98
AX	42522990		34	AX	42605990	4059625422182	98

## Code Numbers and Trade Prices (HG = hansgrohe, AX = AXOR)

brand	Code no.	EAN	page	brand	Code no.	EAN	page
AX	42610000	4059625422168	98	AX	42655140	4059625424438	104
AX	42610140	4059625422144	98	AX	42655340	4059625424384	104
AX	42610340	4059625421895	98	AX	42655670	4059625424360	104
AX	42610670	4059625421871	98	AX	42655820	4059625424339	104
AX	42610820	4059625421840	98	AX	42655990	4059625424308	104
AX	42610990	4059625423004	98	AX	42656000	4059625424285	103
AX	42611000	4059625422984	102	AX	42656140	4059625424261	103
AX	42611140	4059625422960	102	AX	42656340	4059625424216	103
AX	42611340	4059625422915	102	AX	42656670	4059625424193	103
AX	42611670	4059625422892	102	AX	42656820	4059625424162	103
AX	42611820	4059625422861	102	AX	42656990	4059625424131	103
AX	42611990	4059625422830	102	AX	42657000	4059625424117	103
AX	42613000	4059625422816	99	AX	42657140	4059625424094	103
AX	42613140	4059625422793	99	AX	42657340	4059625424049	103
AX	42613340	4059625422748	99	AX	42657670	4059625424025	103
AX	42613670	4059625422724	99	AX	42657820	4059625424896	103
AX	42613820	4059625422694	99	AX	42657990	4059625424865	103
AX	42613990	4059625422663	99	AX	42661000	4059625424841	100
AX	42622000	4059625422649	101	AX	42661140	4059625424827	100
AX	42622140	4059625422625	101	AX	42661340	4059625424773	100
AX	42622340	4059625422571	101	AX	42661670	4059625424759	100
AX	42622670	4059625422557	101	AX	42661820	4059625424728	100
AX	42622820	4059625422526	101	AX	42661990	4059625424698	100
AX	42622990	4059625423493	101	AX	42683000	4059625424674	100
AX	42623000	4059625423479	101	AX	42683140	4059625424650	100
AX	42623140	4059625423455	101	AX	42683340	4059625424605	100
AX	42623340	4059625423400	101	AX	42683670	4059625424582	100
AX	42623670	4059625423387	101	AX	42683820	4059625424551	100
AX	42623820	4059625423356	101	AX	42683990	4059625424520	100
AX	42623990	4059625423325	101	AX	42804700	4059625367667	65
AX	42626000	4059625423301	101	AX	42805700	4059625367636	65
AX	42626140	4059625423288	101	AX	42810700	4059625367698	65
AX	42626340	4059625423233	101	AX	42811700	4059625367308	68
AX	42626670	4059625423219	101	AX	42812700	4059625367339	68
AX	42626820	4059625423189	101	AX	42813700	4059625367452	66
AX	42626990	4059625423158	101	AX	42822700	4059625367575	67
AX	42639000	4059625423134	99	AX	42823700	4059625367421	67
AX	42639140	4059625423110	99	AX	42826700	4059625367483	67
AX	42639340	4059625423066	99	AX	42843700	4059625367605	68
AX	42639670	4059625423042	99	AX	42844700	4059625368497	68
AX	42639820	4059625423011	99	AX	42848700	4059625368466	71
AX	42639990	4059625423981	99	AX	42849700	4059625368435	70
AX	42644000	4059625423967	102	AX	42855700	4059625367728	69
AX	42644140	4059625423943	102	AX	42856700	4059625367360	69
AX	42644340	4059625423899	102	AX	42857700	4059625367391	69
AX	42644670	4059625423875	102	AX	42858700	4059625368404	69
AX	42644820	4059625423844	102	AX	42860700	4059625367513	66
AX	42644990	4059625423813	102	AX	42872700	4059625367759	70
AX	42649000	4059625423790	104	AX	42873700	4059625367780	70
AX	42649140	4059625423776	104	AX	42880700	4059625367544	66
AX	42649340	4059625423721	104	<b>45</b>			
AX	42649670	4059625423707	104	AX	45710180	4011097789309	49
AX	42649820	4059625423677	104	AX	45711700	4059625469200	49
AX	42649990	4059625423646	104	AX	45712700	4059625469170	49
AX	42654000	4059625423622	104	AX	45713700	4059625469132	49
AX	42654140	4059625423608	104	AX	45720700	4059625469095	54
AX	42654340	4059625423554	104	AX	45723700	4059625469088	57
AX	42654670	4059625423530	104	AX	45770180	4011097789903	50
AX	42654820	4059625424506	104	AX	45771700	4059625469057	50
AX	42654990	4059625424476	104	<b>47</b>			
AX	42655000	4059625424452	104	AX	47010000	4059625161401	78



## Code Numbers and Trade Prices (HG = hansgrohe, AX = AXOR)

brand	Code no.	EAN	page	brand	Code no.	EAN	page
AX	47010600	4059625161555	78	AX	47412340	4059625208861	88
AX	47010670	4059625450727	78	AX	47412670	4059625451007	88
AX	47012000	4059625186190	78	AX	47430000	4059625161289	86
AX	47012140	4059625201862	78	AX	47430600	4059625161432	86
AX	47012340	4059625201855	78	AX	47430670	4059625450994	86
AX	47012670	4059625450703	78	AX	47432000	4059625186176	86
AX	47020000	4059625161388	78	AX	47432140	4059625212509	86
AX	47020600	4059625161531	78	AX	47432340	4059625212196	86
AX	47020670	4059625450925	78	AX	47432670	4059625450987	86
AX	47022000	4059625186121	79	AX	47440000	4059625161272	87
AX	47022140	4059625202609	79	AX	47440600	4059625161425	87
AX	47022340	4059625202197	79	AX	47440670	4059625484722	87
AX	47022670	4059625450901	79	AX	47442000	4059625186183	87
AX	47030000	4059625450666	78	AX	47442140	4059625256398	87
AX	47030600	4059625450642	78	AX	47442340	4059625256381	87
AX	47030670	4059625450628	78	AX	47442670	4059625450949	87
AX	47032000	4059625450611	78	AX	47900000	4059625189023	90
AX	47032670	4059625450864	78	AX	47901000	4059625189047	90
AX	47040000	4059625161364	79	AX	47902000	4059625189061	90
AX	47040600	4059625161517	79	AX	47903000	4059625189214	89
AX	47040670	4059625451120	79	AX	47903140	4059625212936	89
AX	47042000	4059625186114	79	AX	47903340	4059625212929	89
AX	47042140	4059625256244	79	AX	47903670	4059625451175	89
AX	47042340	4059625256237	79	AX	47904000	4059625189207	89
AX	47042670	4059625451113	79	AX	47904140	4059625213087	89
AX	47050000	4059625161340	81	AX	47904340	4059625213070	89
AX	47050600	4059625161494	81	AX	47904670	4059625451151	89
AX	47050670	4059625450840	81	AX	47905000	4059625189191	89
AX	47052000	4059625186138	81	AX	47905140	4059625217139	89
AX	47052140	4059625203989	81	AX	47905340	4059625217122	89
AX	47052340	4059625203972	81	AX	47905670	4059625451137	89
AX	47052670	4059625450826	81	AX	47906000	4059625189184	90
AX	47060000	4059625161326	82	AX	47907000	4059625189177	90
AX	47060600	4059625161470	82	AX	47908000	4059625189160	90
AX	47060670	4059625450789	82	AX	47909000	4059625189153	91
AX	47062000	4059625186145	82	AX	47910000	4059625189146	91
AX	47062140	4059625202050	82	AX	47911000	4059625189139	91
AX	47062340	4059625202043	82	AX	47913000	4059625189122	91
AX	47062670	4059625450765	82	AX	47914000	4059625189115	91
AX	47070000	4059625450598	81	AX	47915000	4059625189108	91
AX	47070600	4059625450574	81	AX	47916000	4059625189092	92
AX	47070670	4059625451106	81	AX	47917000	4059625189085	92
AX	47072000	4059625450550	81	AX	47918000	4059625189078	92
AX	47072670	4059625451090	81	AX	47921000	4059625306529	92
AX	47080000	4059625450536	83	AX	47922000	4059625306536	92
AX	47080600	4059625450512	83	AX	47923000	4059625306512	92
AX	47080670	4059625451076	83	AX	47924000	4059625306543	92
AX	47082000	4059625450499	83	AX	47925000	4059625306550	92
AX	47082670	4059625451069	83	AX	47926000	4059625306567	92
AX	47210000	4059625161302	85	<b>48</b>			
AX	47210600	4059625161456	85	AX	48000700	4059625470077	42
AX	47210670	4059625451045	85	AX	48001700	4059625470053	42
AX	47212000	4059625186152	85	AX	48002700	4059625470022	42
AX	47212140	4059625201664	85	AX	48010700	4059625469965	42
AX	47212340	4059625201657	85	AX	48020700	4059625469941	42
AX	47212670	4059625451038	85	AX	48030700	4059625469897	42
AX	47410000	4059625161296	88	AX	48050700	4059625469842	43
AX	47410600	4059625161449	88	AX	48060700	4059625469781	44
AX	47410670	4059625451021	88	AX	48070700	4059625469743	43
AX	47412000	4059625186169	88	AX	48112700	4059625469705	45
AX	47412140	4059625208878	88	AX	48120700	4059625469651	46

## Code Numbers and Trade Prices (HG = hansgrohe, AX = AXOR)

brand	Code no.	EAN	page
AX	48210700	4059625469620	47
AX	48440700	4059625469613	48
AX	48490700	4059625469491	52
AX	48491700	4059625469484	52
AX	48492700	4059625469460	52
AX	48493700	4059625469446	53
AX	48494700	4059625469422	53
AX	48495700	4059625469415	54
AX	48496700	4059625469392	54
AX	48651700	4059625469354	55
AX	48790700	4059625469309	51
AX	48791700	4059625469286	55
AX	48792700	4059625469262	56
AX	48798180	4059625329368	51
<b>51</b>			
AX	51301000	4059625032244	26
AX	51301140	4059625171356	26
AX	51301340	4059625171349	26
AX	51305000	4059625077818	26
AX	51305140	4059625171912	26
AX	51305340	4059625171905	26
AX	51305670	4059625339817	26
AX	51305700	4059625454459	58
AX	51306700	4059625454442	58
<b>58</b>			
AX	58307700	4059625490075	58
AX	58316700	4059625490082	59
AX	58317700	4059625490099	59
AX	58318700	4059625490303	59
<b>92</b>			
AX	92271000	4011097744148	79
<b>94</b>			
HG	94343000	4059625376560	38
HG	94344000	4059625376553	37
HG	94345000	4059625376546	37
<b>96</b>			
AX	96259000	4011097422640	84
AX	96383000	4011097350707	84
AX	96441000	4011097432717	48
<b>98</b>			
HG	98806000	4011097570822	86





AXOR ShowerComposition






# AXOR ShowerComposition

## Reflecting uniqueness – making an architectural statement.

A shower is a very intimate space, and it must be flexible and adaptable to an individual's needs. Designed by world-renowned creator Philippe Starck, AXOR ShowerComposition introduces a striking new universal design language, modern and timeless, to the shower area. The program features sleek, flat surfaces and ultra-slim profiles in an architectonic composition that presents novel possibilities for individual expression. Whether as an all-in-one shower panel or a personalized arrangement of floating modules, AXOR ShowerComposition offers exceptional performance, including immersive PowderRain spray mode overhead and PowderRain shoulder showers with angle adjustment. AXOR ShowerComposition provides the maximum of services by using the minimum of matter.

Design: Philippe Starck



AXOR ShowerComposition features a reduced, rectilinear design, the diminutive depth of the showerhead and vertical panels (which extend just 10mm from the wall) counterbalanced by their generous width. Versatile and easy to install, the AXOR ShowerComposition program is available in a variety of configurations and in the full range of exclusive AXOR FinishPlus surfaces, including Matt Black.


Overhead shower module 110/220 1jet

Features

/ shower head size: 110 x 220 mm  
 / spray type: PowderRain  
 / projection 324 mm

/ material spray disc: metal  
 / installation: wall  
 / connection dimension: DN15

/ connection type: basic set  
 / suitable for continuous flow water heaters



Technologies



Spray types



finish		available from	code no.
Chrome	NEW	Q4/2023	12592000
Matt Black	NEW	Q4/2023	12592670
AXOR Finish-Plus*	NEW	Q4/2023	12592XXX

Required parts:



Basic set for overhead shower with shower arm

code no.

35361180

Optional parts:



Thermostatic module 470/110 for concealed installation for 2 functions

For

12592XXX


finish		available from	code no.
Chrome	NEW	Q4/2023	12571000
Matt Black	NEW	Q4/2023	12571670
AXOR Finish-Plus*	NEW	Q4/2023	12571XXX

Basic set for overhead shower with shower arm

Features

/ includes polystyrene sheathing as a placeholder during installation

/ sound-decoupled installation  
 / connection dimension: Rp 1/2



code no.

35361180

Shower modules 2jet, 1jet with shoulder shower



**Features of all variants**

/ consists of: shoulder shower, shower module  
/ with non-return valve

/ spray type body shower: PowderRain  
/ connection type: basic set

**250/250**

**110/220**



**Technologies**

**Spray types**



**Overview variants**

shower head size	number of sprays	spray types	finish	available from	code no.	
250/250	2	PowderRain, Intense PowderRain	Chrome	NEW	Q4/2023	12594000
			Matt Black	NEW	Q4/2023	12594670
			AXOR Finish-Plus*	NEW	Q4/2023	12594XXX
110/220	1	PowderRain	Chrome	NEW	Q4/2023	12593000
			Matt Black	NEW	Q4/2023	12593670
			AXOR Finish-Plus*	NEW	Q4/2023	12593XXX

**Required parts:**



Basic set for overhead shower with shower arm

code no.


35361180

\* AXOR FinishPlus: For further AXOR FinishPlus surfaces please see the AXOR FinishPlus overview on page 4.

Basic set for overhead shower with shower arm

Features

- / includes polystyrene sheathing as a placeholder during installation
- / sound-decoupled installation
- / connection dimension: Rp 1/2




code no.

35361180

Shower panel with thermostat, overhead shower 110/220 1jet and shoulder shower

Features

- / consists of: shoulder shower, shower thermostat, overhead shower, baton hand shower, textile shower hose
- / shower head size: 110 x 220 mm
- / spray type overhead shower: PowderRain
- / spray type body shower: PowderRain
- / scald protection at 40°
- / adjustable hot water limitation
- / isolated water conduction
- / mounting type: concealed
- / suitable for continuous flow water heaters
- / projection: 324 mm
- / use of outlets: simultaneous use of several outlets
- / connection type: basic set
- / Eco-Function: depending on volume flow and installation situation approx. 50% flow rate reduction and integrated shut off function



Technologies



Spray types



finish		available from	code no.
Chrome	NEW	Q4/2023	12595000
Matt Black	NEW	Q4/2023	12595670
AXOR Finish-Plus*	NEW	Q4/2023	12595XXX

Required parts:

		available from	code no.
	Basic set for shower panel	NEW	Q4/2023 12676180


Basic set for shower panel

Features

/ wall-mounted

/ vertical installation

/ maximum mounting depth: 160 mm



	available from	code no.
NEW	Q4/2023	12676180

Shoulder shower 110/110 1jet

Features

/ shower head size: 110 x 110 mm

/ spray type: PowderRain

/ angle of shower adjustable (2 possibilities)


/ rosette: angular

/ suitable for continuous flow water heaters

/ connection dimension: DN15

/ material: metal

/ connection type: basic set



Technologies



Spray types



finish		available from	code no.
Chrome	NEW	Q4/2023	12596000
Matt Black	NEW	Q4/2023	12596670
AXOR Finish-Plus*	NEW	Q4/2023	12596XXX

**Required parts:**



Basic set for overhead shower with shower arm

code no.

35361180


Basic set for overhead shower with shower arm

Features

/ includes polystyrene sheathing as a placeholder during installation

/ sound-decoupled installation

/ connection dimension: Rp 1/2



	code no.
	35361180

\*AXOR FinishPlus: For further AXOR FinishPlus surfaces please see the AXOR FinishPlus overview on page 4.






Basic set for thermostatic module Select for 2 functions

**Features**

/ 2 functions  
 / connection thread Rp 3/4  
 / connection dimension: DN15/DN20

/ horizontal installation  
 / sound-decoupled installation  
 / minimum mounting depth: 87 mm

/ maximum mounting depth: 122 mm



code no.

18310180


Basic set for thermostatic module Select for 3 functions

**Features**

/ 3 functions  
 / connection thread Rp 3/4  
 / connection dimension: DN15/DN20

/ horizontal installation  
 / sound-decoupled installation  
 / minimum mounting depth: 87 mm

/ maximum mounting depth: 122 mm



code no.

18311180


Basic set for thermostatic module Select for 4 functions

**Features**

/ 4 functions  
 / connection thread Rp 3/4  
 / connection dimension: DN15/DN20

/ horizontal installation  
 / sound-decoupled installation  
 / minimum mounting depth: 87 mm

/ maximum mounting depth: 122 mm



code no.

18312180

\* AXOR FinishPlus: For further AXOR FinishPlus surfaces please see the AXOR FinishPlus overview on page 4.

Textile shower hoses


Features of all variants

/ high-quality textile hose with braiding  
 / pivot connector prevents hose from tangling  
 / kink-protected


/ water-resistant and water-repellant material  
 / unique design with multi-colored braided yarns  
 / warm, cotton-like material feels great to the skin

/ yarns are made of recycled PET  
 / dishwasher proof up to 60°C  
 / connection thread: G 1/2

Conical and cylindrical nut



Cylindrical nut on both sides





























Overview variants

nuts shower hose	length (m)	finish	available from	code no.	
1x conical, 1x cylindrical	2,00	Chrome	NEW	Q3/2023	28290000
		Brushed Bronze	NEW	Q3/2023	28290140
		Brushed Gold Optic	NEW	Q3/2023	28290250
		Polished Red Gold	NEW	Q3/2023	28290300
		Brushed Red Gold	NEW	Q3/2023	28290310
		Polished Black Chrome	NEW	Q3/2023	28290330
		Brushed Black Chrome	NEW	Q3/2023	28290340
		Matt Black	NEW	Q3/2023	28290670
		Matt White	NEW	Q3/2023	28290700
		Stainless Steel Optic	NEW	Q3/2023	28290800
		Brushed Nickel	NEW	Q3/2023	28290820
		Brushed Brass	NEW	Q3/2023	28290950
		Polished Gold Optic	NEW	Q3/2023	28290990
1x conical, 1x cylindrical	1,60	Chrome	NEW	Q3/2023	28259000
		Brushed Bronze	NEW	Q3/2023	28259140
		Brushed Gold Optic	NEW	Q3/2023	28259250
		Polished Red Gold	NEW	Q3/2023	28259300
		Brushed Red Gold	NEW	Q3/2023	28259310
		Polished Black Chrome	NEW	Q3/2023	28259330
		Brushed Black Chrome	NEW	Q3/2023	28259340
		Matt Black	NEW	Q3/2023	28259670
		Matt White	NEW	Q3/2023	28259700
		Stainless Steel Optic	NEW	Q3/2023	28259800
		Brushed Nickel	NEW	Q3/2023	28259820
		Brushed Brass	NEW	Q3/2023	28259950
		Polished Gold Optic	NEW	Q3/2023	28259990



























## Textile shower hoses

**Overview variants**

nuts shower hose	length (m)	finish	available from	code no.	
1 x conical, 1 x cylindrical	1,25	 Chrome	NEW	Q3/2023	28227000
		 Brushed Bronze	NEW	Q3/2023	28227140
		 Brushed Gold Optic	NEW	Q3/2023	28227250
		 Polished Red Gold	NEW	Q3/2023	28227300
		 Brushed Red Gold	NEW	Q3/2023	28227310
		 Polished Black Chrome	NEW	Q3/2023	28227330
		 Brushed Black Chrome	NEW	Q3/2023	28227340
		 Matt Black	NEW	Q3/2023	28227670
		 Matt White	NEW	Q3/2023	28227700
		 Stainless Steel Optic	NEW	Q3/2023	28227800
		 Brushed Nickel	NEW	Q3/2023	28227820
		 Brushed Brass	NEW	Q3/2023	28227950
		 Polished Gold Optic	NEW	Q3/2023	28227990
		cylindrical on both sides	2,00	 Chrome	NEW
 Brushed Bronze	NEW			Q3/2023	28291140
 Brushed Gold Optic	NEW			Q3/2023	28291250
 Polished Red Gold	NEW			Q3/2023	28291300
 Brushed Red Gold	NEW			Q3/2023	28291310
 Polished Black Chrome	NEW			Q3/2023	28291330
 Brushed Black Chrome	NEW			Q3/2023	28291340
 Matt Black	NEW			Q3/2023	28291670
 Matt White	NEW			Q3/2023	28291700
 Stainless Steel Optic	NEW			Q3/2023	28291800
 Brushed Nickel	NEW			Q3/2023	28291820
 Brushed Brass	NEW			Q3/2023	28291950
 Polished Gold Optic	NEW			Q3/2023	28291990

## Textile shower hoses

**Overview variants**

nuts shower hose	length (m)	finish	available from	code no.			
cylindrical on both sides	1,60	 Chrome	NEW	Q3/2023	28261000		
		 Brushed Bronze	NEW	Q3/2023	28261140		
		 Brushed Gold Optic	NEW	Q3/2023	28261250		
		 Polished Red Gold	NEW	Q3/2023	28261300		
		 Brushed Red Gold	NEW	Q3/2023	28261310		
		 Polished Black Chrome	NEW	Q3/2023	28261330		
		 Brushed Black Chrome	NEW	Q3/2023	28261340		
		 Matt Black	NEW	Q3/2023	28261670		
		 Matt White	NEW	Q3/2023	28261700		
		 Stainless Steel Optic	NEW	Q3/2023	28261800		
		 Brushed Nickel	NEW	Q3/2023	28261820		
		 Brushed Brass	NEW	Q3/2023	28261950		
		 Polished Gold Optic	NEW	Q3/2023	28261990		
		cylindrical on both sides	1,25	 Chrome	NEW	Q3/2023	28228000
				 Brushed Bronze	NEW	Q3/2023	28228140
 Brushed Gold Optic	NEW			Q3/2023	28228250		
 Polished Red Gold	NEW			Q3/2023	28228300		
 Brushed Red Gold	NEW			Q3/2023	28228310		
 Polished Black Chrome	NEW			Q3/2023	28228330		
 Brushed Black Chrome	NEW			Q3/2023	28228340		
 Matt Black	NEW			Q3/2023	28228670		
 Matt White	NEW			Q3/2023	28228700		
 Stainless Steel Optic	NEW			Q3/2023	28228800		
 Brushed Nickel	NEW			Q3/2023	28228820		
 Brushed Brass	NEW			Q3/2023	28228950		
 Polished Gold Optic	NEW			Q3/2023	28228990		





**AXOR Suite Basins & Bathtub**





esop

Essence Aromatique Hand Wash


XOR

# AXOR Suite Basins & Bathtub

Uniquely universal - matching your character.

Through elegant design and specially finished elements, AXOR Suite basins and bathtub, designed by world-renowned creator Philippe Starck, bring harmony and a personal touch to any bathroom interior. Each piece is made with SolidSurface material for resistance and longevity, while smooth contours, small radii and 'soft' inner basins, devoid of lines or ridges, ensure a clean modern look with universal appeal. At the same time, specially finished elements – a shelf on the bathtub, a wrap-around surface on the washbasin sides – allow users to express their individuality.

Design: Philippe Starck



Rectangular or circular, the AXOR Suite basins and bathtub are timeless, universal, elegant forms, characterized by small radii, soft and smooth inner basins. Specially finished elements come in a choice of Matt Black, Chrome or any of the AXOR FinishPlus polished or brushed surfaces.

Wash bowls


Features of all variants

/ consists of: wash bowl, design frame  
 / material: solid surface  
 / Material frame: metal


/ degree of gloss: matt  
 / without tap hole  
 / without overflow

/ without waste set  
 / only combinable with non-closing waste set  
 / installation type: built-on

300





400



Overview variants

	diameter (mm)	finish	available from	code no.	
	300	Chrome	NEW	Q4/2023	42000000
		Matt Black	NEW	Q4/2023	42000670
		Brushed Bronze	NEW	Q4/2023	42000140
		Brushed Black Chrome	NEW	Q4/2023	42000340
		AXOR Finish-Plus*	NEW	Q4/2023	42000XXX
	400	Chrome	NEW	Q4/2023	42001000
		Matt Black	NEW	Q4/2023	42001670
		Brushed Bronze	NEW	Q4/2023	42001140
		Brushed Black Chrome	NEW	Q4/2023	42001340
		AXOR Finish-Plus*	NEW	Q4/2023	42001XXX

Optional parts:

	finish	code no.
 Design trap Flowstar S	Chrome	51305000
	Matt Black	51305670
	Brushed Black Chrome	51305340
	Brushed Bronze	51305140
	AXOR FinishPlus*	51305XXX
 Waste set non-closing for washbasins	Chrome	51301000
	Brushed Bronze	51301140
	Brushed Black Chrome	51301340
	AXOR FinishPlus*	51301XXX



Wash bowls


**Features of all variants**

/ consists of: wash bowl, design frame  
 / material: solid surface  
 / Material frame: metal


/ degree of gloss: matt  
 / without tap hole  
 / without overflow

/ without waste set  
 / only combinable with non-closing waste set  
 / installation type: built-on


**285/285**



**400/400**




**600/400**



**Overview variants**

	product dimensions (mm)	finish	available from	code no.	
	285/285	Chrome	NEW	Q4/2023	42002000
		Matt Black	NEW	Q4/2023	42002670
		Brushed Bronze	NEW	Q4/2023	42002140
		Brushed Black Chrome	NEW	Q4/2023	42002340
		AXOR Finish-Plus*	NEW	Q4/2023	42002XXX
	400/400	Chrome	NEW	Q4/2023	42003000
		Matt Black	NEW	Q4/2023	42003670
		Brushed Bronze	NEW	Q4/2023	42003140
		Brushed Black Chrome	NEW	Q4/2023	42003340
		AXOR Finish-Plus*	NEW	Q4/2023	42003XXX
	600/400	Chrome	NEW	Q4/2023	42004000
		Matt Black	NEW	Q4/2023	42004670
		Brushed Bronze	NEW	Q4/2023	42004140
		Brushed Black Chrome	NEW	Q4/2023	42004340
		AXOR Finish-Plus*	NEW	Q4/2023	42004XXX

**Optional parts:**

	finish	code no.
 Design trap Flowstar S	Chrome	51305000
	Matt Black	51305670
	Brushed Black Chrome	51305340
	Brushed Bronze	51305140
	AXOR FinishPlus*	51305XXX

\* AXOR FinishPlus: For further AXOR FinishPlus surfaces please see the AXOR FinishPlus overview on page 4.

Wash bowls

Optional parts:



Waste set non-closing for washbasins

finish


code no.

	Chrome	51301000
	Brushed Bronze	51301140
	Brushed Black Chrome	51301340
	AXOR FinishPlus*	51301XXX

Bathtub 1900/850

Features

- / material thickness: 14 mm
- / free-standing bath tub
- / bath tub entry height: 631 mm
- / filling level: approx. 355 mm
- / filling capacity: approx. 190 l (1 person, 70 kg)
- / weight with water (1 person 70 kg): approx. 440 kg
- / weight without water: 180 kg
- / material: solid surface
- / number of people: 2
- / with overflow
- / degree of gloss: matt
- / consists of: push-open waste set, bathtub
- / length lying surface: 1685 mm
- / width lying surface: 627 mm



finish

available from

code no.

	Chrome	NEW	Q4/2023	42005000
	Matt Black	NEW	Q4/2023	42005670
	Brushed Bronze	NEW	Q4/2023	42005140
	Brushed Black Chrome	NEW	Q4/2023	42005340
	AXOR Finish-Plus*	NEW	Q4/2023	42005XXX

Optional parts:



Shelf

finish

available from


code no.

	Chrome	NEW	Q4/2023	42006000
	Matt Black	NEW	Q4/2023	42006670
	Brushed Bronze	NEW	Q4/2023	42006140
	Brushed Black Chrome	NEW	Q4/2023	42006340
	AXOR Finish-Plus*	NEW	Q4/2023	42006XXX

Shelf

Features

- / screw fastening
- / material shelf: metal
- / with mounting material
- / concealed fastening



finish

available from

code no.

	Chrome	NEW	Q4/2023	42006000
	Matt Black	NEW	Q4/2023	42006670
	Brushed Bronze	NEW	Q4/2023	42006140
	Brushed Black Chrome	NEW	Q4/2023	42006340
	AXOR Finish-Plus*	NEW	Q4/2023	42006XXX

## Shelf

**! Required parts:**

Bathtub 1900/850

finish		available from	code no.
Chrome	NEW	Q4/2023	42005000
Matt Black	NEW	Q4/2023	42005670
Brushed Bronze	NEW	Q4/2023	42005140
Brushed Black Chrome	NEW	Q4/2023	42005340
AXOR Finish-Plus*	NEW	Q4/2023	42005XXX







AXOR



AXOR



AXOR

**AXOR Drain**









## Individuality to the detail.

AXOR Drain elevate the shower drain to an object of design that completes the look of any AXOR bathroom. Available in the same rich range of AXOR FinishPlus colors and surfaces as the AXOR collections and programs, AXOR Drain makes an individual statement grounded in excellent function. The first design in the program offers a sleek and seamless aesthetic, without visible silicone joints, harmonizing with any shower floor surface – from marble to porcelain, travertine to slate. Thanks to newly acquired innovative technology and outstanding AXOR quality, the drain is easy to install, require minimum cleaning and offer uncomplicated access to one's choice of Siphon or Dryphon draining mechanism.

## Free in floor version



## Wall version



The new AXOR Drain features a long, minimalist exposed rectangular finish set, available in all AXOR FinishPlus PVD surfaces as well as classic Chrome and powder coated Matt Black and Matt White.

Finish sets shower drains, free in the floor


Features of all variants

- / consists of: Dryphon, installation set, design grate
- / mounting type: free in the floor
- / easy to clean surface
- / installation set height adjustable by 7-18 mm tile thickness
- / tile thickness: up to 18 mm

- / suitable for any type of tile
- / up to 53 l/min drainage capacity
- / where to use: new construction, renovation
- / grate removal tool allows easy removal of the finish set
- / with integrated slope

- / type of odour seal: mechanical
- / Dryphon enables waterless siphon system
- / no visible silicone joint
- / grate material: Stainless Steel 304 (1.4301)
- / suitable for primary drainage


700 - 1200



Technologies



Installations



Overview variants

length (mm)	finish		available from	code no.
700	● Brushed Stainless Steel	NEW	Q2/2023	42520800
	● Chrome	NEW	Q2/2023	42520000
	● Matt Black	NEW	Q2/2023	42520670
	○ Matt White	NEW	Q2/2023	42520700
	● Brushed Bronze	NEW	Q2/2023	42520140
	● Brushed Black Chrome	NEW	Q2/2023	42520340
	● Polished Gold Optic	NEW	Q2/2023	42520990
	● AXOR Finish-Plus*	NEW	Q2/2023	42520XXX
	800	● Brushed Stainless Steel	NEW	Q2/2023
● Chrome		NEW	Q2/2023	42521000
● Matt Black		NEW	Q2/2023	42521670
○ Matt White		NEW	Q2/2023	42521700
● Brushed Bronze		NEW	Q2/2023	42521140
● Brushed Black Chrome		NEW	Q2/2023	42521340
● Polished Gold Optic		NEW	Q2/2023	42521990
● AXOR Finish-Plus*		NEW	Q2/2023	42521XXX
900		● Brushed Stainless Steel	NEW	Q2/2023
	● Chrome	NEW	Q2/2023	42522000
	● Matt Black	NEW	Q2/2023	42522670
	○ Matt White	NEW	Q2/2023	42522700
	● Brushed Bronze	NEW	Q2/2023	42522140
	● Brushed Black Chrome	NEW	Q2/2023	42522340
	● Polished Gold Optic	NEW	Q2/2023	42522990
	● AXOR Finish-Plus*	NEW	Q2/2023	42522XXX



## Finish sets shower drains, free in the floor

**Overview variants**

length (mm)	finish	available from	code no.
1000	Brushed Stainless Steel	NEW	Q2/2023 42523800
	Chrome	NEW	Q2/2023 42523000
	Matt Black	NEW	Q2/2023 42523670
	Matt White	NEW	Q2/2023 42523700
	Brushed Bronze	NEW	Q2/2023 42523140
	Brushed Black Chrome	NEW	Q2/2023 42523340
	Polished Gold Optic	NEW	Q2/2023 42523990
	AXOR Finish-Plus*	NEW	Q2/2023 42523XXX
	1200	Brushed Stainless Steel	NEW
Chrome		NEW	Q2/2023 42524000
Matt Black		NEW	Q2/2023 42524670
Matt White		NEW	Q2/2023 42524700
Brushed Bronze		NEW	Q2/2023 42524140
Brushed Black Chrome		NEW	Q2/2023 42524340
Polished Gold Optic		NEW	Q2/2023 42524990
AXOR Finish-Plus*		NEW	Q2/2023 42524XXX

**Required parts (choose one)**

	available from	code no.
Base set for finish sets for standard installation	NEW	Q2/2023 01005180
Base set for finish sets for flat installation	NEW	Q2/2023 01006180
Base set for finish sets for vertical installation	NEW	Q2/2023 01007180


## Finish sets shower drains for wall mounting


**Features of all variants**

/ consists of: Dryphon, installation set, design grate  
 / mounting type: wall-mounted  
 / easy to clean surface  
 / installation set height adjustable by 7-18 mm tile thickness  
 / tile thickness: up to 18 mm

































/ suitable for any type of tile  
 / up to 55 l/min drainage capacity  
 / where to use: new construction, renovation  
 / grate removal tool allows easy removal of the finish set  
 / with integrated slope

/ type of odour seal: mechanical  
 / Dryphon enables waterless siphon system  
 / no visible silicone joint  
 / grate material: Stainless Steel 304 (1.4301)  
 / suitable for primary drainage

**700 - 1200**

**Technologies**









**Installation**


**Overview variants**




length (mm)	finish		available from	code no.
700	 Brushed Stainless Steel	NEW	Q2/2023	42525800
	 Chrome	NEW	Q2/2023	42525000
	 Matt Black	NEW	Q2/2023	42525670
	 Matt White	NEW	Q2/2023	42525700
	 Brushed Bronze	NEW	Q2/2023	42525140
	 Brushed Black Chrome	NEW	Q2/2023	42525340
	 Polished Gold Optic	NEW	Q2/2023	42525990
	 AXOR Finish-Plus*	NEW	Q2/2023	42525XXX
800	 Brushed Stainless Steel	NEW	Q2/2023	42526800
	 Chrome	NEW	Q2/2023	42526000
	 Matt Black	NEW	Q2/2023	42526670
	 Matt White	NEW	Q2/2023	42526700
	 Brushed Bronze	NEW	Q2/2023	42526140
	 Brushed Black Chrome	NEW	Q2/2023	42526340
	 Polished Gold Optic	NEW	Q2/2023	42526990
	 AXOR Finish-Plus*	NEW	Q2/2023	42526XXX
900	 Brushed Stainless Steel	NEW	Q2/2023	42527800
	 Chrome	NEW	Q2/2023	42527000
	 Matt Black	NEW	Q2/2023	42527670
	 Matt White	NEW	Q2/2023	42527700
	 Brushed Bronze	NEW	Q2/2023	42527140
	 Brushed Black Chrome	NEW	Q2/2023	42527340
	 Polished Gold Optic	NEW	Q2/2023	42527990
	 AXOR Finish-Plus*	NEW	Q2/2023	42527XXX
1000	 Brushed Stainless Steel	NEW	Q2/2023	42528800
	 Chrome	NEW	Q2/2023	42528000
	 Matt Black	NEW	Q2/2023	42528670
	 Matt White	NEW	Q2/2023	42528700
	 Brushed Bronze	NEW	Q2/2023	42528140
	 Brushed Black Chrome	NEW	Q2/2023	42528340
	 Polished Gold Optic	NEW	Q2/2023	42528990
	 AXOR Finish-Plus*	NEW	Q2/2023	42528XXX

## Finish sets shower drains for wall mounting

**Overview variants**

length (mm)	finish	available from	code no.
1200	 Brushed Stainless Steel	NEW	Q2/2023 42529800
	 Chrome	NEW	Q2/2023 42529000
	 Matt Black	NEW	Q2/2023 42529670
	 Matt White	NEW	Q2/2023 42529700
	 Brushed Bronze	NEW	Q2/2023 42529140
	 Brushed Black Chrome	NEW	Q2/2023 42529340
	 Polished Gold Optic	NEW	Q2/2023 42529990
	 AXOR Finish-Plus*	NEW	Q2/2023 42529XXX

**Required parts (choose one)**


	available from	code no.
 Base set for finish sets for standard installation	NEW	Q2/2023 01005180
 Base set for finish sets for flat installation	NEW	Q2/2023 01006180
 Base set for finish sets for vertical installation	NEW	Q2/2023 01007180

**Base set for finish sets for standard installation**
**Features**

/ consists of: screed protection cover, siphon, base set, pre-assembled sealing membrane, height adjustment boards  
 / suitable for all shower drains  
 / where to use: new construction, renovation  
 / water seal: 50 mm

/ minimal installation height: 75 mm  
 / drainage capacity with siphon: up to 33 l/min  
 / drainage capacity with Dryphon: up to 55 l/min  
 / connection diameter: DN50  
 / direction of outlet: horizontal  
 / connection: 3-sided

/ height adjustable with the foam boards  
 / easy fixation to the floor with mounting bracket  
 / mounting type: wall-mounted, free in the floor  
 / easy to clean siphon  
 / removable siphon  
 / suitable for soundproof mounting


**Technologies**

**Installation**


available from	code no.
NEW	Q2/2023 01005180

**Optional parts:**

	code no.
 Wall mounting set	94345000
 Adapter UK (50 to 56 mm)	94344000


Base set for finish sets for flat installation

Features

- / consists of: screed protection cover, siphon, base set, pre-assembled sealing membrane, height adjustment boards
- / suitable for all shower drains
- / where to use: new construction, renovation
- / water seal: 30 mm

- / minimal installation height: 57 mm
- / drainage capacity with siphon: up to 25 l/min
- / drainage capacity with Dryphon: up to 37 l/min
- / connection diameter: DN40
- / direction of outlet: horizontal
- / connection: 3-sided

- / height adjustable with the foam boards
- / easy fixation to the floor with mounting bracket
- / mounting type: wall-mounted, free in the floor
- / easy to clean siphon
- / removable siphon
- / suitable for soundproof mounting



Technologies





Installation



	available from	code no.
NEW	Q2/2023	01006180

Optional parts:

		code no.
	Wall mounting set	94345000
	Adapter UK (50 to 56 mm)	94344000


Base set for finish sets for vertical installation

Features

- / consists of: screed protection cover, siphon, base set, pre-assembled sealing membrane
- / suitable for all shower drains
- / where to use: new construction, renovation
- / water seal: 50 mm

- / minimal installation height: 75 mm
- / drainage capacity with siphon: up to 33 l/min
- / drainage capacity with Dryphon: up to 55 l/min
- / connection diameter: DN50
- / direction of outlet: vertical

- / connection: 1-sided
- / mounting type: wall-mounted, free in the floor
- / easy to clean siphon
- / removable siphon



Technologies






Installation



	available from	code no.
NEW	Q2/2023	01007180

Optional parts:

		code no.
	Wall mounting set	94345000
	Adapter UK (50 to 56 mm)	94344000
	Fire protection adapter (PP socket DN 50)	94343000





AXOR One | AXOR Universal Circular Accessories  
Matt White







# AXOR One | AXOR Universal Circular Accessories Matt White

## Perfect color match

The successful AXOR One collection and the AXOR Universal Circular Accessories are now complemented by the lacquered finish Matt White. This architectural finish is a highlight in the modern bathroom and fits perfectly to current color trends. The combination of the AXOR One collection and the AXOR Circular Accessories as well as additional complementary products, such as traps, angle valves, hoses and many more, allows you to attain a perfect color match down to the last detail, for instance with our new AXOR Drain in Matt White.

Design: Barber Osgerby



Single lever basin mixers


Features of all variants

/ consists of: single lever basin mixer, waste set  
 / spray type: normal spray  
 / maximum flow rate at 3 bar: 5 l/min


/ ceramic cartridge  
 / temperature limitation adjustable  
 / suitable for continuous flow water heaters

/ material waste set: metal  
 / connection type: G 3/8 connections  
 / connection dimension: DN 15

70



260



Technologies



Overview variants

ComfortZone	projection (mm)	spout height (mm)	waste set	for wash bowls	finish	available from	code no.
70	130	70	pop-up	-	○ Matt White	NEW	Q2/2023 48000700
70	130	70	non-closing	-	○ Matt White	NEW	Q2/2023 48001700
260	180	255	non-closing	■	○ Matt White	NEW	Q2/2023 48002700

Basin mixers Select


Features of all variants

/ consists of: Basin mixer, waste set  
 / spray type: normal spray  
 / maximum flow rate at 3 bar: 5 l/min  
 / Select cartridge with temperature control


/ temperature limitation adjustable  
 / suitable for continuous flow water heaters  
 / push-open waste set G 1 1/4  
 / material waste set: metal

/ connection type: G 3/8 connections  
 / connection dimension: DN 15  
 / cold water in middle position


140



170



260



Sustainability

Technologies



Overview variants

ComfortZone	projection (mm)	spout height (mm)	for wash bowls	finish	available from	code no.
140	122	140	-	○ Matt White	NEW	Q2/2023 48010700
170	140	170	-	○ Matt White	NEW	Q2/2023 48020700
260	165	265	■	○ Matt White	NEW	Q2/2023 48030700


## 3-hole basin mixer 170 with push-open waste set

## Features

/ consists of: 3-hole basin mixer, waste set  
 / ComfortZone 170  
 / projection: 140 mm  
 / spout height: 169 mm  
 / swivel range 120°

/ spray type: normal spray  
 / maximum flow rate at 3 bar: 5 l/min  
 / ceramic valves hot/ cold 90°  
 / suitable for continuous flow water heaters  
 / push-open waste set G 1 1/4

/ material waste set: metal  
 / connection type: G 3/8 connections  
 / connection dimension: DN 15



## Technologies



finish		available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023	48050700

## Optional parts:



Hose extension set for 3-hole basin mixer

code no.

38959000


## 3-hole basin mixer Select 170 with push-open waste set

## Features

/ consists of: 3-hole basin mixer, waste set  
 / ComfortZone 170  
 / projection: 140 mm  
 / spout height: 169 mm  
 / spray type: normal spray

/ maximum flow rate at 3 bar: 5 l/min  
 / left handle: volume control  
 / right handle: Select cartridge with temperature control  
 / temperature limitation adjustable

/ suitable for continuous flow water heaters  
 / push-open waste set G 1 1/4  
 / material waste set: metal  
 / connection type: G 3/8 connections  
 / connection dimension: DN 15



## Technologies



finish		available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023	48070700

## Optional parts:



Hose extension set for 3-hole basin mixer

code no.

38959000


**2-hole basin mixer Select 260 with push-open waste set**

**Features**

- / consists of: 2-hole basin mixer, waste set
- / ComfortZone 260
- / projection: 165 mm
- / spout height: 267 mm
- / swivel range 120°
- / spray type: normal spray

- / maximum flow rate at 3 bar: 5 l/min
- / Select cartridge with temperature control
- / temperature limitation adjustable
- / suitable for continuous flow water heaters
- / push-open waste set G 1 1/4
- / material waste set: metal

- / connection type: G 3/8 connections
- / flexible arrangement of control unit and spout possible
- / the control unit needs approx. 20 cm space underneath the top



**Technologies**



finish	available from	code no.
○ Matt White	NEW	Q2/2023 48060700

**Optional parts:**



Hose extension set for 2-hole basin mixer

code no.

38960000




Basin mixer for concealed installation wall-mounted Select with spout 220 mm

**Features**

/ consists of: waste set, basin mixer for concealed installation wall-mounted  
 / projection: 220 mm  
 / spray type: normal spray

/ maximum flow rate at 3 bar: 5 l/min  
 / Select cartridge with temperature control  
 / suitable for continuous flow water heaters  
 / non-closing waste set

/ connection type: basic set  
 / connection dimension: DN15



**Technologies**



finish		available from	code no.
○ Matt White	NEW	Q2/2023	48112700

**Required parts:**



Basic set for basin mixer for concealed installation wall-mounted Select

code no.



13625180

Basic set for basin mixer for concealed installation wall-mounted Select

**Features**

/ sound-decoupled installation

/ connection dimension: G 1/2



code no.


13625180

\* AXOR FinishPlus: For further AXOR FinishPlus surfaces please see the AXOR FinishPlus overview on page 4.

Single lever basin mixer for concealed installation wall-mounted with lever handle and spout 220 mm

**Features**

- / consists of: waste set, single lever basin mixer for concealed installation wall-mounted
- / projection: 220 mm
- / spray type: normal spray
- / maximum flow rate at 3 bar: 5 l/min
- / ceramic cartridge
- / temperature limitation adjustable
- / suitable for continuous flow water heaters
- / non-closing waste set
- / connection type: basic set
- / connection dimension: DN15
- / handle can be positioned on the right or left, depending on the basic set installation



**Technologies**



finish	available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023 48120700


**Required parts:**

	Basic set for single lever basin mixer for concealed installation wall-mounted	code no. 13623180
---	--	-------------------

Basic set for single lever basin mixer for concealed installation wall-mounted

**Features**

- / variable positioning of the mixer system, can be left or right of the spout
- / easy orientation due to support surfaces for the spirit level
- / with building protection cover against contamination during assembly
- / with dimension indication for exact determination of the installation depth
- / with pre-mounted fastening lugs for mounting in drywall and solidwall
- / sound-decoupled installation
- / connection dimension: DN15
- / minimum mounting depth: 44 mm
- / maximum mounting depth: 72 mm



	code no.	Euro
	13623180	

**Optional parts:**

	Extension set 25 mm for single lever basin mixer wall-mounted	code no. 13586000
--	---	-------------------


## Single lever bidet mixer with pop-up waste set

**Features**

/ consists of: single lever bidet mixer, waste set  
 / projection 113 mm  
 / spout height: 100 mm  
 / aerator with ball pivot  
 / spray type: normal spray

/ maximum flow rate at 3 bar: 5 l/min  
 / ceramic cartridge  
 / temperature limitation adjustable  
 / suitable for continuous flow water heaters  
 / pop-up waste set G 1 1/4

/ material waste set: metal  
 / connection type: G 3/8 connections  
 / connection dimension: DN 15


**Technologies**

finish		available from	code no.
○ Matt White	NEW	Q2/2023	48210700

Single lever bath mixer floor-standing

Features

- / consists of: single lever bath mixer floor standing,
- / hand shower, shower holder, shower hose
- / 2 functions
- / projection: 220 mm
- / spray type mixer: normal spray
- / spray type hand shower: PowderRain
- / maximum flow rate at 3 bar: 21,5 l/min
- / flow rate for bath spout at 3 bar: 21,5 l/min
- / flow rate of hand shower at 3 bar: 8 l/min
- / ceramic cartridge
- / temperature limitation adjustable
- / diverter with automatic resetting
- / non-return valve
- / connection dimension: DN15
- / connection type: basic set
- / min. operating pressure: 1 bar
- / max. operating pressure: 10 bar



Technologies



finish	available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023 48440700

Required parts:



Basic set for mixers floor-standing

code no.

10452180

Optional parts:



Sealing foil for basic set bath mixer floor-standing


code no.

96441000

Basic set for mixers floor-standing

Features

- / for mounting on unfinished floor
- / suitable for single lever bath mixer, single lever basin mixer and bath spout floor-standing
- / connection dimension: DN15
- / minimum mounting depth: 53 mm
- / maximum mounting depth: 133 mm



code no.
10452180

Optional parts:



Sealing foil for basic set bath mixer floor-standing

code no.

96441000



## Thermostatic modules for concealed installation

**Features of all variants**


/ thermostat cartridge, Start/stop valve to operate the functions  
 / Eco-Function: flow rate regulation via lever handle  
 / depending on volume flow and installation situation approx. 50% flow rate reduction

/ comfortable turning on / off of consumers with large Select-paddle  
 / flow rate per outlet: 24 l/min  
 / min. operating pressure: 1 bar  
 / max. operating pressure: 5 bar  
 / safety stop at 40 °C

/ temperature limitation adjustable  
 / the thermostat offers the possibility for thermal disinfection  
 / non-return valve  
 / connection type: basic set

**1 function**

**2 functions**

**3 functions**

**Technologies**

**Overview variants**

number of functions	max. flow rate at 3 bar (l/min)	finish	available from	code no.
1 function	24	<input type="radio"/> Matt White	NEW	Q2/2023 45711700
2 functions	30	<input type="radio"/> Matt White	NEW	Q2/2023 45712700
3 functions	30	<input type="radio"/> Matt White	NEW	Q2/2023 45713700

**Required parts:**


Basic set for thermostatic module for concealed installation

code no.

45710180



Basic set for thermostatic module for concealed installation

Features

/ 2 inlets/4 outlets  
/ all outlets can be used simultaneously

/ connection thread Rp 1/2  
/ sound-decoupled installation

/ minimum mounting depth: 80 mm  
/ maximum mounting depth: 108 mm



code no.

45710180


Shut-off valve for concealed installation

Features

/ comfortable turning on / off of consumers with large Select-paddle

/ connection type: basic set  
/ 1 function

/ connection dimension: DN 15  
/ material: metal



Technologies



finish	available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023 45771700

Required parts:



Basic set for shut-off valve for concealed installation

code no.

45770180


Basic set for shut-off valve for concealed installation

Features

/ connection from left or right  
/ connection dimension: DN 15  
/ flow rate at free through-flow: 30 l/min

/ sound-decoupled installation

/ in a joined installation it serves as a waterconducting unit and allows dimensionally accurate positioning



code no.

45770180




Overhead shower 75 1jet EcoSmart with shower arm

Features

/ consists of: overhead shower, shower arm  
 / shower head size: 73 mm  
 / spray type: PowderRain  
 / projection 116 mm  
 / ball-joint: overhead shower angle adjustable  
 / material spray disc: metal

/ shower arm length 85 mm  
 / maximum flow rate at 3 bar: 8,7 l/min  
 / flow rate PowderRain spray (at 3 bar): 8,7 l/min  
 / function from: 6,3 l/min  
 / minimum flow pressure: 1 bar  
 / overhead shower removable for cleaning

/ installation: wall  
 / connection thread G 1/2  
 / connection dimension: DN15  
 / suitable for continous flow water heaters



Sustainability



Technologies



Spray types



finish	available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023 48490700

Overhead shower 2jet, 1jet with shower arm

Features of all variants

/ consists of: overhead shower, shower arm  
 / shower head size: 280 mm  
 / material spray disc: metal



/ overhead shower removable for cleaning  
 / installation: wall  
 / connection dimension: DN15

/ suitable for continous flow water heaters

2 spray types



1 spray type



Technologies



Spray types



Overview variants

number of sprays	spray types	max. flow rate at 3 bar (l/min)	min. flow pressure (bar)	length shower arm (mm)	finish	available from	code no.
2	PowderRain, Rain	12	1.5	389	<input type="radio"/> Matt White	NEW	Q2/2023 48492700
1	PowderRain and Rain in combination	12.3	1.2	390	<input type="radio"/> Matt White	NEW	Q2/2023 48491700



## Overhead shower 2jet, 1jet with shower arm

## Required parts:



Basic set for overhead shower with shower arm

For

48492XXX


code no.

35361180

## Basic set for overhead shower with shower arm

## Features

/ includes polystyrene sheathing as a placeholder during installation

/ sound-decoupled installation  
/ connection dimension: Rp 1/2

code no.


35361180

## Overhead showers 2jet, 1jet with ceiling connector


## Features of all variants

/ consists of: overhead shower, ceiling connector  
/ shower head size: 280 mm  
/ material spray disc: metal/ brass ceiling connector  
/ overhead shower removable for cleaning  
/ installation: ceiling/ connection dimension: DN15  
/ suitable for continuous flow water heaters

## 2 spray types



## 1 spray type



## Technologies

## Spray types



## Overview variants

number of sprays	spray types	max. flow rate at 3 bar (l/min)	min. flow pressure (bar)	length ceiling connector	finish	available from	code no.
2	PowderRain, Rain	12.5	1.5	180	○ Matt White	NEW	Q2/2023 48494700
1	PowderRain and Rain in combination	12.2	1.4	117	○ Matt White	NEW	Q2/2023 48493700

\*AXOR FinishPlus: For further AXOR FinishPlus surfaces please see the AXOR FinishPlus overview on page 4.






Shower bar with wall connection and shower hose 1.60 m

**Features**

- / consists of: shower bar, shower hose, slider, wall connector
- / pipe length: 965 mm
- / slider steplessly adjustable
- / pivot connector prevents hose from tangling
- / shower bar diameter: 25 mm
- / wall supports of metal
- / hose nut: for shower hoses with a conical nut
- / profile pipe: round
- / metal hand shower holder




finish		available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023	48792700

**Ceiling connectors**


**Features of all variants**

- / length: 300 mm
- / material: solid brass
- / connection type: G 1/2

**for overhead shower 280 1jet**



**for overhead shower 280 2jet**



**Overview variants**

special	finish		available from	code no.
for overhead shower 280 1jet	<input type="radio"/> Matt White	NEW	Q2/2023	48495700
for overhead shower 280 2jet	<input type="radio"/> Matt White	NEW	Q2/2023	48496700




## Porter unit

## Features

/ for hoses with cylindrical nuts  
/ integrated support function

/ metal  
/ non-return valve

/ connection type: G 1/2




finish		available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023	45723700

## Extension element

## Features

/ for situations of limited depth for concealed installation

/ extension length: 22 mm  
/ material: metal escutcheon



finish		available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023	13610700


## Escutcheon 90 mm

## Features

/ for larger tile coverage

/ diameter: 90 mm

/ material: metal escutcheon




finish		available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023	13611700

**Design trap Flowstar S**

**Features**

/ adjustment distance 60 - 165 mm  
/ distance to wall 330 mm

/ odour trap - backwater height is 70 mm  
/ connection dimension entry: G 1 1/4




finish		available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023	51305700

**Cover**

**Features**

/ for angle valve

/ packaging unit: 1 piece



finish		available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023	51306700


**Complete set bath filler, waste and overflow set for standard bath tubs**

**Features**

/ consists of: finish set, basic set, bath tub trap  
/ TÜV certified

/ suitable for standard bath tubs, with bellows for bath tubs with slanted bath rim  
/ bowden cable length 520 mm

/ odour trap - backwater height is 50 mm  
/ supply hose water connection left DN20



finish		available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023	58307700


Complete set bath filler, waste and overflow set for special bath tubs

**Features**

/ consists of: finish set, basic set, bath tub trap  
/ TÜV certified

/ suitable for special bath tubs, with bellows for bath tubs with slanted bath rim

/ bowden cable length 780 mm  
/ supply hose water connection left DN20



finish		available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023	58317700


Complete set waste and overflow set for standard bath tubs

**Features**

/ consists of: finish set, basic set  
/ TÜV certified  
/ suitable for standard bath tubs

/ PE screw connection G 1 1/2 x 40/ 50 mm  
/ flexible overflow hose  
/ bowden cable length 520 mm

/ odour trap - backwater height is 50 mm



finish		available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023	58316700


Complete set waste and overflow set for special bath tubs

**Features**

/ consists of: finish set, basic set, bath tub trap  
/ suitable for special bath tubs

/ PE screw connection G 1 1/2 x 40/ 50 mm  
/ flexible overflow hose

/ bowden cable length 780 mm



finish		available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023	58318700

Metal effect shower hoses


Features of all variants

/ high-quality shower hose with metal effect  
/ with plastic coating, easy to clean

/ pivot connector prevents hose from tangling  
/ kink-protected

/ nuts shower hose: cylindrical nut on both ends  
/ connection thread: G 1/2

cylindrical nut on both sides



Overview variants

nuts shower hose	length (m)	finish	available from	code no.
cylindrical on both sides	1,60	○ Matt White	NEW	Q2/2023 28286700
cylindrical on both sides	1,25	○ Matt White		28282700

Textile shower hoses


Features of all variants

/ high-quality textile hose with braiding  
/ pivot connector prevents hose from tangling  
/ kink-protected


/ water-resistant and water-repellant material  
/ unique design with multi-colored braided yarns  
/ warm, cotton-like material feels great to the skin

/ yarns are made of recycled PET  
/ dishwasher proof up to 60°C  
/ connection thread: G 1/2

conical and cylindrical nut



cylindrical nut on both sides



Overview variants

nuts shower hose	length (m)	finish	available from	code no.
1 x conical, 1 x cylindrical	2,00	○ Matt White	NEW	Q3/2023 28290700
1 x conical, 1 x cylindrical	1,60	○ Matt White	NEW	Q3/2023 28259700
1 x conical, 1 x cylindrical	1,25	○ Matt White	NEW	Q3/2023 28227700
cylindrical on both sides	2,00	○ Matt White	NEW	Q3/2023 28291700
cylindrical on both sides	1,60	○ Matt White	NEW	Q3/2023 28261700
cylindrical on both sides	1,25	○ Matt White	NEW	Q3/2023 28228700




Electronic basin mixer with temperature pre-adjustment with mains connection 230 V

**Features**

- / ComfortZone 100
- / projection 148 mm
- / spray type: normal spray
- / maximum flow rate at 3 bar: 3,5 l/min
- / temperature adjustable via basic set
- / suitable for continous flow water heaters
- / infrared sensor technology

- / automatic environmental adjustment of infrared sensor
- / adjustable optical range of infrared sensor (2 settings)
- / 230 V / 50 Hz mains connection
- / running time: 10 s
- / hygiene rinse activatable (automatic water flow)
- / frequency of hygiene rinse: 24 h

- / flushing time hygiene rinse: 10 s
- / permanent rinse activatable (single water flow for 180 seconds, suitable for thermal disinfection)
- / cleaning mode: manual water stop for washbasin cleaning
- / connection dimension: DN15
- / dirt filters in the connection hoses



**Sustainability**



**Technologies**



finish	available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023 38010700

\*AXOR FinishPlus: For further AXOR FinishPlus surfaces please see the AXOR FinishPlus overview on page 4.

Electronic basin mixers for concealed installation wall-mounted


Features of all variants

- / spray type: normal spray
- / maximum flow rate at 3 bar: 5 l/min
- / temperature adjustable via basic set
- / infrared sensor technology
- / automatic environmental adjustment of infrared sensor
- / adjustable optical range of infrared sensor (5 settings)


- / 230 V / 50 Hz mains connection
- / hygiene rinse activatable (automatic water flow)
- / frequency of hygiene rinse: 24 h
- / flushing time hygiene rinse: 10 s
- / permanent rinse activatable (single water flow for 180 seconds, suitable for thermal disinfection)
- / cleaning mode: manual water stop for washbasin cleaning

- / TÜV certified
- / dirt filters in the connection hoses
- / for ideal function please note a minimum distance of 140 mm from the aerators center to the back rim of the wash basin

165



225



Sustainability



Technologies



Overview variants

	projection (mm)	finish	available from	code no.
	165	○ Matt White	NEW	Q2/2023 38119700
	225	○ Matt White	NEW	Q2/2023 38120700

Required parts:



Basic set for electronic basin mixer for concealed installation wall-mounted

code no.

16180180

Optional parts:



Extension 25 mm for basic set for electronic basin mixer wall-mounted

For

38119XXX

code no.

13594000




Bath spout curved floor-standing

Features

/ 1 function  
/ connection type: basic set

/ projection 226 mm  
/ free-standing installation

/ maximum flow rate at 3 bar: 18 l/min  
/ spray type: normal spray



Technologies



finish	available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023 38412700

Required parts:



Basic set for mixers floor-standing

code no.

10452180

Optional parts:



Sealing foil for basic set bath mixer floor-standing

code no.


96441000

Basic set for mixers floor-standing

Features

/ for mounting on unfinished floor  
/ suitable for single lever bath mixer, single lever basin mixer and bath spout floor-standing

/ connection dimension: DN15  
/ minimum mounting depth: 53 mm  
/ maximum mounting depth: 133 mm



code no.

10452180

Optional parts:



Sealing foil for basic set bath mixer floor-standing

code no.

96441000




## Toothbrush tumbler

### Features

/ wall-mounted  
/ material: glass  
/ holder material: metal

/ with mounting material  
/ concealed fastening  
/ drilling distance: 35 mm

/ diameter drill hole: 6 mm



finish		available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023	42804700


## Soap dish

### Features

/ wall-mounted  
/ with mounting material

/ concealed fastening  
/ drilling distance: 35 mm

/ diameter drill hole: 6 mm



finish		available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023	42805700


## Liquid soap dispenser

### Features

/ wall-mounted  
/ holder material: metal  
/ material container: metal

/ type of soap: liquid soap  
/ filling capacity 300 ml  
/ dosage 2 ml

/ with mounting material  
/ drilling distance: 35 mm  
/ diameter drill hole: 6 mm



finish		available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023	42810700


Grab bar

Features

/ wall-mounted  
/ material: metal  
/ holder material: metal

/ length: 355 mm  
/ with mounting material  
/ concealed fastening

/ drilling distance: 300 mm  
/ diameter drill hole: 6 mm  
/ TÜV certified



finish		available from	code no.
○ Matt White	NEW	Q2/2023	42813700

Bath towel holds


Features of all variants

/ wall-mounted  
/ material: metal

/ fixed  
/ with mounting material

/ diameter drill hole: 6 mm

600/800



Overview variants

product dimensions (mm)	finish		available from	code no.
600	○ Matt White	NEW	Q2/2023	42860700
800	○ Matt White	NEW	Q2/2023	42880700

## Towel holders


### Features of all variants

/ wall-mounted  
/ material: metal


/ with mounting material  
/ drilling distance: 35 mm

/ diameter drill hole: 6 mm  
/ concealed fastening

#### single



#### double



### Overview variants

number of holder	Swivelling	finish	available from	code no.
1 holder	–	<input type="radio"/> Matt White	NEW	Q2/2023 42826700
2 holders	■	<input type="radio"/> Matt White	NEW	Q2/2023 42822700


## Towel ring

### Features

/ wall-mounted  
/ material: metal  
/ swivelling

/ with mounting material  
/ concealed fastening  
/ drilling distance: 35 mm

/ diameter drill hole: 6 mm



finish	available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023 42823700

Towel hooks


Features of all variants

/ wall-mounted  
/ material: metal


/ with mounting material  
/ concealed fastening

/ diameter drill hole: 6 mm

single



double



Overview variants

	number of hooks	finish		available from	code no.
	1 hook	<input type="radio"/> Matt White	NEW	Q2/2023	42811700
	2 hooks	<input type="radio"/> Matt White	NEW	Q2/2023	42812700


Towel rack with towel holder

Features

/ wall-mounted  
/ material: metal  
/ length: 655 mm

/ with mounting material  
/ concealed fastening  
/ drilling distance: 600 mm

/ diameter drill hole: 6 mm



finish		available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023	42843700


Shelf 400

Features

/ wall-mounted  
/ material frame: solid brass  
/ material shelf: metal

/ length: 400 mm  
/ with mounting material  
/ concealed fastening

/ drilling distance: 340 mm  
/ diameter drill hole: 6 mm  
/ suitable for shower



finish		available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023	42844700



Toilet paper holders

Features of all variants

/ wall-mounted  
/ material: metal

/ with mounting material  
/ concealed fastening

/ drilling distance: 35 mm  
/ diameter drill hole: 6 mm




single



double



with cover



Overview variants

version	finish		available from	code no.
single	<input type="radio"/> Matt White	NEW	Q2/2023	42856700
double	<input type="radio"/> Matt White	NEW	Q2/2023	42857700
with cover	<input type="radio"/> Matt White	NEW	Q2/2023	42858700


Toilet brush holder wall-mounted

Features

/ wall-mounted  
/ material: metal  
/ material recess: matt plastic

/ with cover lid  
/ with removable insert  
/ with mounting material

/ concealed fastening  
/ drilling distance 35 mm  
/ diameter drill hole: 6 mm



finish		available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023	42855700

\* AXOR FinishPlus: For further AXOR FinishPlus surfaces please see the AXOR FinishPlus overview on page 4.


Tissue box

Features

/ wall-mounted  
/ screw fastening  
/ material: metal, plastic

/ with mounting material  
/ concealed fastening  
/ drilling distance 200 mm

/ diameter drill hole: 6 mm



finish		available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023	42873700


Waste bin

Features

/ free-standing  
/ material: metal

/ material recess: plastic  
/ capacity: 5 l

/ with removable insert



finish		available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023	42872700


Shaving mirror

Features

/ material: mirror glass  
/ material frame: metal  
/ mirror is inclinable  
/ swivelling

/ enlargement: 1.7-times  
/ with mounting material  
/ concealed fastening  
/ drilling distance: 51 mm

/ diameter drill hole: 6 mm  
/ wall-mounted



finish		available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023	42849700


Wall mirror

**Features**

/ material: mirror glass  
 / material frame: metal  
 / with mounting material

/ concealed fastening  
 / drilling distance: 260 mm  
 / diameter drill hole: 6 mm

/ wall-mounted



finish		available from	code no.
<input type="radio"/> Matt White	NEW	Q2/2023	42848700








AXOR

AXOR MyEdition






## Variety par excellence





Extension of the AXOR MyEdition collection













With the addition of the AXOR MyEdition single lever basin mixer 110, the 3-hole washbasin mixer 110 and the 3-hole washbasin mixer for wall mounting, AXOR is increasing the depth of the collection's range. The striking design language remains the same - monolithic and linear.



### **Self-confident accent at the washbasin** A new interface for AXOR MyEdition

All products from the AXOR MyEdition collection as well as selected complementary products from the AXOR Showers range or the AXOR Universal Rectangular accessories are now also available in the AXOR FinishPlus finish Matt Black.

Product cover plates												
												
Mirror Glass			Black Glass			Chrome			Matt Black			
Plate 200	Plate 245	Plate 117	Plate 200	Plate 245	Plate 117	Plate 200	Plate 245	Plate 117	Plate 200	Plate 245	Plate 117	

Product body	Image	Description	Standard products Chrome, Matt Black	Mirror Glass			Black Glass			Chrome			Matt Black		
				Plate 200	Plate 245	Plate 117	Plate 200	Plate 245	Plate 117	Plate 200	Plate 245	Plate 117	Plate 200	Plate 245	Plate 117
	Single lever basin mixer 70	Standard products Chrome, Matt Black	47010000			47070600 47070670									
	Single lever basin mixer 70 without plate	Chrome	47012000 47900000			47012000 47900600			47012000 47903000						
		15 PVD surface finishes, Matt Black	47012XXX 47900000			47012XXX 47900600			47012XXX 47903000						
<b>NEW</b> 	Single lever basin mixer 110	Standard products Chrome, Matt Black	47030000			47070600 47070670									
	Single lever basin mixer 110 without plate	Chrome	47032000 47900000			47032670 47900600			47032000 47903000			47032000 47903000			
		15 PVD surface finishes, Matt Black	47032XXX 47900000			47032XXX 47900600			47032XXX 47903000			47032XXX 47903000			
	Single lever basin mixer 230	Standard products Chrome, Matt Black		47020000		47070600 47070670									
	Single lever basin mixer 230 without plate	Chrome		47022000 47901000		47022000 47901600				47022000 47904000			47022000 47904000		
		15 PVD surface finishes, Matt Black		47022XXX 47901000		47022XXX 47901600				47022XXX 47904000			47022XXX 47904000		
	3-hole basin mixer 70	Standard products Chrome, Matt Black	47050000			47070600 47070670									
	3-hole basin mixer 70 without plate	Chrome	47052000 47900000			47052000 47900600			47052000 47903000				47052000 47903000		
		15 PVD surface finishes, Matt Black	47052XXX 47900000			47052XXX 47900600			47052XXX 47903000				47052XXX 47903000		
<b>NEW</b> 	3-hole basin mixer 110	Standard products Chrome, Matt Black	47070000			47070600 47070670									
	3-hole basin mixer 110 without plate	Chrome	47072000 47900000			47072000 47900600			47072670 47903000				47072000 47904000		
		15 PVD surface finishes, Matt Black	47072XXX 47900000			47072XXX 47900600			47072XXX 47903000				47072XXX 47904000		
	Single lever basin mixer for concealed installation	Standard products Chrome, Matt Black		47060000		47070600 47070670									
	Single lever basin mixer for concealed installation without plate	Chrome		47062000 47901000		47062000 47901600				47062000 47904000					
		15 PVD surface finishes, Matt Black		47062XXX 47901000		47062XXX 47901600				47062XXX 47904000					
<b>NEW</b> 	3-hole basin mixer for concealed installation	Standard products Chrome, Matt Black		47080000		47080600 47080670									
	3-hole basin mixer for concealed installation without plate	Chrome		47082000 47900000		47082000 47900600				47082000 47904000			47082000 47904000		
		15 PVD surface finishes, Matt Black		47082XXX 47900000		47082XXX 47900600				47082XXX 47900400					
	Single lever basin mixer floor-standing	Standard products Chrome, Matt Black		47040000		47070600 47070670									
	Single lever basin mixer floor-standing without plate	Chrome		47042000 47901000		47042000 47901600				47042000 47904000					
		15 PVD surface finishes, Matt Black		47042XXX 47901000		47042XXX 47901600				47042XXX 47904000					
	Single lever bidet mixer	Standard products Chrome, Matt Black			47210000			47070600 47070670							
	Single lever bidet mixer without plate	Chrome		47212000 47902000		47212000 47902600				47212000 47905000					
		15 PVD surface finishes, Matt Black		47212XXX 47902000		47212XXX 47902600				47212XXX 47905000					
	4-hole rim mounted bath mixer	Standard products Chrome, Matt Black	47430000			47070600 47070670									
	4-hole rim mounted bath mixer without plate	Chrome	47432000 47900000			47432000 47900600				47432000 47903000					
		15 PVD surface finishes, Matt Black	47432XXX 47900000			47432XXX 47900600				47432XXX 47903000					
	Single lever bath mixer floor-standing	Standard products Chrome, Matt Black		47440000		47070600 47070670									
	Single lever bath mixer floor-standing without plate	Chrome		47442000 47901000		47442000 47901600				47442000 47904000					
		15 PVD surface finishes, Matt Black		47442XXX 47901000		47442XXX 47901600				47442XXX 47904000					
	Bath spout	Standard products Chrome, Matt Black	47410000			47070600 47070670									
	Bath spout without plate	Chrome	47412000 47900000			47900000 47412670				47412000 47903000					
		15 PVD surface finishes, Matt Black	47412XXX 47900000			47412XXX 47900600				47412XXX 47903000					

Product cover plates

15 PVD surface finishes			Wood: Black Walnut			White Marble: Lasa Covelano Vena Oro			Black Marble: Nero Marquina			Leather: Gray Nappa Leather			Carrier plate for custom material		
Plate 200	Plate 245	Plate 117	Plate 200	Plate 245	Plate 117	Plate 200	Plate 245	Plate 117	Plate 200	Plate 245	Plate 117	Plate 200	Plate 245	Plate 117	Plate 200	Plate 245	Plate 117
47012000 47903XXX			47012000 47906000			47012000 47909000			47012000 47913000			47012000 47916000			47012000 47921000*		
47012XXX 47903XXX			47012XXX 47906000			47012XXX 47909000			47012XXX 47913000			47012XXX 47916000			47012XXX 47921000*		
47032000 47903XXX			47032000 47906000			47032000 47909000			47032000 47913000			47032000 47916000			47032000 47921000*		
47032XXX 47903XXX			47032XXX			47032XXX 47909000			47032XXX			47032XXX 47916000			47032XXX 47921000*		
	47022000 47904XXX			47022000 47907000			47022000 47910000			47022000 47914000			47022000 47917000			47022000 47922000*	
	47022XXX 47904XXX			47022XXX 47907000			47022XXX 47910000			47022XXX 47914000			47022XXX 47917000			47922000* 47022XXX	
47052000 47903XXX			47052000 47906000			47052000 47909000			47052000 47913000			47052000 47916000			47052000 47921000*		
47052XXX 47903XXX			47052XXX 47906000			47052XXX 47909000			47052XXX 47913000			47052XXX 47916000			47052XXX 47921000*		
47072000 47903XXX			47072000 47906000			47072000 47909000			47072000 47913000			47072000 47916000			47072000 47921000*		
47072XXX 47903XXX			47072XXX			47072XXX 47909000			47072XXX 47913000			47072XXX 47916000			47072XXX 47921000*		
	47062000 47904XXX			47062000 47907000			47062000 47910000			47062000 47914000			47062000 47917000			47062000 47922000*	
	47062XXX 47904XXX			47062XXX 47907000			47062XXX 47910000			47062XXX 47914000			47062XXX 47917000			47062XXX 47922000*	
	47082000 47904XXX			47082000 47907000			47082000 47910000			47082000 47914000			47082000 47917000			47082000 47922000*	
	47042000 47904XXX			47042000 47907000			47042000 47910000			47042000 47914000			47042000 47917000			47042000 47922000*	
	47042XXX 47904XXX			47042XXX 47907000			47042XXX 47910000			47042XXX 47914000			47042XXX 47917000			47042XXX 47922000*	
		47212000 47905XXX			47212000 47908000			47212000 47911000			47212000 47915000			47212000 47918000			47212000 47923000*
		47212XXX 47905XXX			47212XXX 47908000			47212XXX 47911000			47212XXX 47915000			47212XXX 47918000			47212XXX 47923000*
47432000 47903XXX			47432000 47906000			47432000 47909000			47432000 47913000			47432000 47916000			47432000 47921000*		
47432XXX 47903XXX			47432XXX 47906000			47432XXX 47909000			47432XXX 47913000			47432XXX 47916000			47432XXX 47921000*		
	47442000 47904XXX			47442000 47907000			47442000 47910000			47442000 47914000			47442000 47917000			47442000 47922000*	
	47442XXX 47904XXX			47442XXX 47907000			47442XXX 47910000			47442XXX 47914000			47442XXX 47917000			47442XXX 47922000*	
47412000 47903XXX			47412000 47906000			47412000 47909000			47412000 47913000			47412000 47916000			47412000 47921000*		
47412XXX 47903XXX			47412XXX 47906000			47412XXX 47909000			47412XXX 47913000			47412XXX 47916000			47412XXX 47921000*		



Single lever basin mixers


Features of all variants

/ spray type: PowderRain  
 / ceramic cartridge  
 / temperature limitation adjustable  
 / maximum flow rate at 3 bar: 5 l/min


/ with isolated water conduction - without contact  
 with nickel and lead  
 / suitable for continuous flow water heaters  
 / push-open waste set G 1 1/4

/ connection type: G 3/8 connections  
 / connection dimension: DN15


70 with plate



110 with plate



230 without plate



Sustainability



Technologies



Overview variants

ComfortZone	projection (mm)	spout height (mm)	for wash bowls	cover	finish	available from	code no.	
70	151	70	-	with plate	Chrome/Mirror Glass		47010000	
					Chrome/Black Glass		47010600	
					Matt Black/Black Glass	NEW	Q4/2023	47010670
70	151	70	-	without plate	Chrome		47012000	
					Brushed Bronze		47012140	
					Brushed Black Chrome		47012340	
					Matt Black	NEW	Q4/2023	47012670
					AXOR Finish-Plus*		47012XXX	
110	150	110	-	with plate	Chrome/Mirror Glass	NEW	Q4/2023	47030000
					Chrome/Black Glass	NEW	Q4/2023	47030600
					Matt Black/Black Glass	NEW	Q4/2023	47030670
110	150	110	-	without plate	Chrome	NEW	Q4/2023	47032000
					Matt Black	NEW	Q4/2023	47032670
					AXOR Finish-Plus*	NEW	Q4/2023	47032XXX
230	196	225	■	with plate	Chrome/Mirror Glass		47020000	
					Chrome/Black Glass		47020600	
					Matt Black/Black Glass	NEW	Q4/2023	47020670

Measurements within scale drawings are in mm.


Technical specifications and units of measure are subject to change.



**Basic set for mixers floor-standing**

**Features**

- / for mounting on unfinished floor
- / suitable for single lever bath mixer, single lever basin mixer and bath spout floor-standing
- / connection dimension: DN15
- / minimum mounting depth: 53 mm
- / maximum mounting depth: 133 mm



code no.

10452180

**Optional parts:**

code no.



Sealing foil for basic set bath mixer floor-standing

96441000

3-hole basin mixers


Features of all variants

/ spray type: PowderRain  
/ ceramic valves hot/ cold 90°


/ with isolated water conduction - without contact  
with nickel and lead  
/ suitable for continuous flow water heaters

/ push-open waste set G 1¼  
/ connection type: G ¾ connections  
/ connection dimension: DN 15


70 with plate



70 without plate



110 with plate



Sustainability



Technologies



Overview variants

ComfortZone	projection (mm)	spout height (mm)	cover	finish	available from	code no.	
70	151	70	with plate	Chrome/Mirror Glass		47050000	
				Chrome/Black Glass		47050600	
				Matt Black/Black Glass	NEW	Q4/2023	47050670
70	151	70	without plate	Chrome		47052000	
				Brushed Bronze		47052140	
				Brushed Black Chrome		47052340	
				Matt Black	NEW	Q4/2023	47052670
				AXOR Finish-Plus*			47052XXX
110	150	109	with plate	Chrome/Mirror Glass	NEW	Q4/2023	47070000
				Chrome/Black Glass	NEW	Q4/2023	47070600
				Matt Black/Black Glass	NEW	Q4/2023	47070670
110	150	109	without plate	Chrome	NEW	Q4/2023	47072000
				Matt Black	NEW	Q4/2023	47072670
				AXOR Finish-Plus*	NEW	Q4/2023	47072XXX

Optional parts:

For

code no.



Hose extension set for 3-hole basin mixer 47050XXX  
47052XXX

38959000

\* AXOR FinishPlus: For further AXOR FinishPlus surfaces please see the AXOR FinishPlus overview on page 4.

Single lever basin mixers for concealed installation wall-mounted


Features of all variants

/ projection: 221 mm  
 / spray type: PowderRain  
 / maximum flow rate at 3 bar: 5 l/min  
 / ceramic cartridge  
 / temperature limitation adjustable


/ with isolated water conduction - without contact with nickel and lead  
 / suitable for continuous flow water heaters  
 / non-closing waste set  
 / connection type: basic set

/ connection dimension: DN15  
 / handle can be positioned on the right or left, depending on the basic set installation

221 with plate



221 without plate



Sustainability



Technologies



Overview variants

cover	finish	available from	code no.
with plate	Chrome/Mirror Glass		47060000
	Chrome/Black Glass		47060600
	Matt Black/Black Glass	NEW Q4/2023	47060670
without plate	Chrome		47062000
	Brushed Bronze		47062140
	Brushed Black Chrome		47062340
	Matt Black	NEW Q4/2023	47062670
	AXOR Finish-Plus*		47062XXX

Required parts:

	Basic set for single lever basin mixer for concealed installation wall-mounted	code no. 13623180
--	--	----------------------

Optional parts:


	Extension set 25 mm for single lever basin mixer wall-mounted	code no. 13586000
--	---	----------------------



Basic set for single lever basin mixer for concealed installation wall-mounted

**Features**

- / variable positioning of the mixer system, can be left or right of the spout
- / easy orientation due to support surfaces for the spirit level
- / with building protection cover against contamination during assembly
- / with dimension indication for exact determination of the installation depth
- / with pre-mounted fastening lugs for mounting in drywall and solidwall
- / sound-decoupled installation
- / connection dimension: DN15
- / minimum mounting depth: 44 mm
- / maximum mounting depth: 72 mm



code no.

13623180

**Optional parts:**



Extension set 25 mm for single lever basin mixer wall-mounted

code no.


13586000

3-hole basin mixers for concealed installation wall-mounted


**Features of all variants**

- / projection: 221 mm
- / spray type: PowderRain
- / maximum flow rate at 3 bar: 4 l/min
- / ceramic cartridge
- / temperature limitation adjustable
- / with isolated water conduction - without contact with nickel and lead
- / suitable for continuous flow water heaters
- / non-closing waste set
- / connection type: basic set
- / connection dimension: DN15
- / handle can be positioned on the right or left, depending on the basic set installation

**221 with plate**



**221 without plate**



**Sustainability**



**Technologies**



**Overview variants**

cover	finish	available from	code no.
with plate	Chrome/Mirror Glass	NEW	Q4/2023 47080000
	Chrome/Black Glass	NEW	Q4/2023 47080600
	Matt Black/Black Glass	NEW	Q4/2023 47080670
without plate	Chrome	NEW	Q4/2023 47082000
	Matt Black	NEW	Q4/2023 47082670
	AXOR Finish-Plus*	NEW	Q4/2023 47082XXX

**Required parts:**



Basic set for 3-hole basin mixer for concealed installation wall-mounted


code no.

10303180

\* AXOR FinishPlus: For further AXOR FinishPlus surfaces please see the AXOR FinishPlus overview on page 4.

3-hole basin mixers for concealed installation wall-mounted


**Optional parts:**

		code no.
	Seal	96383000
	Extension set 25 mm for basic set for 3-hole basin mixer wall-mounted	96259000

**Basic set for 3-hole basin mixer for concealed installation wall-mounted**

**Features**



- / suitable for all 3-hole wash basin mixers for wall mounting
- / connection dimension: DN15/DN20
- / connection from above or below
- / minimum mounting depth: 70 mm
- / maximum mounting depth: 95 mm



code no.

10303180

**Optional parts:**

		code no.
	Seal	96383000
	Extension set 25 mm for basic set for 3-hole basin mixer wall-mounted	96259000

Single lever bidet mixers


Features of all variants

- / projection 121 mm
- / spout height: 83 mm
- / aerator with ball pivot
- / spray type: normal spray
- / maximum flow rate at 3 bar: 5 l/min


- / ceramic cartridge
- / temperature limitation adjustable
- / isolated water conduction - without contact with nickel and lead
- / suitable for continuous flow water heaters

- / push-open waste set G 1¼
- / connection type: G ¾ connections
- / connection dimension: DN 15

with plate



without plate



Sustainability



Technologies



Overview variants

cover	finish	available from	code no.
with plate	Chrome/Mirror Glass		47210000
	Chrome/Black Glass		47210600
	Matt Black/Black Glass	NEW Q4/2023	47210670
without plate	Chrome		47212000
	Brushed Bronze		47212140
	Brushed Black Chrome		47212340
	Matt Black	NEW Q4/2023	47212670
	AXOR Finish-Plus*		47212XXX

\*AXOR FinishPlus: For further AXOR FinishPlus surfaces please see the AXOR FinishPlus overview on page 4.

4-hole rim mounted bath mixers


Features of all variants

/ 2 functions  
 / projection: 151 mm  
 / spray type mixer: normal spray  
 / spray type hand shower: Rain, Mono  
 / maximum pull-out length of hand shower: 1.10 m


/ maximum flow rate at 3 bar: 22 l/min  
 / flow rate for bath spout at 3 bar: 22 l/min  
 / flow rate of hand shower at 3 bar: 16 l/min  
 / ceramic valves hot/ cold 90°  
 / diverter with automatic resetting

/ connection dimension: DN15  
 / connection type: basic set  
 / min. operating pressure: 1 bar  
 / max. operating pressure: 10 bar

with plate



without plate



Technologies



Spray types



Overview variants

cover	finish	available from	code no.
with plate	Chrome/Mirror Glass		47430000
	Chrome/Black Glass		47430600
	Matt Black/Black Glass	NEW Q4/2023	47430670
without plate	Chrome		47432000
	Brushed Bronze		47432140
	Brushed Black Chrome		47432340
	Matt Black	NEW Q4/2023	47432670
	AXOR Finish-Plus*		47432XXX

Required parts:



Basic set for 4-hole rim mounted bath mixer

code no.

15480180

Optional parts:



Secuflex insert extension



code no.

98806000

Basic set for 4-hole rim mounted bath mixer

**Features**

/ maximum pull-out length of hand shower: 1.10 m / connection dimension: DN15



code no.

15480180

**Optional parts:**



Secuflex insert extension

code no.

98806000

Euro

4.50

Single lever bath mixers floor standing


**Features of all variants**

/ 2 functions  
/ projection: 196 mm  
/ spray type mixer: normal spray  
/ spray type hand shower: Rain, Mono  
/ maximum flow rate at 3 bar: 20 l/min


/ flow rate for bath spout at 3 bar: 20 l/min  
/ flow rate of hand shower at 3 bar: 13 l/min  
/ Ceramic cartridge  
/ temperature limitation adjustable  
/ diverter with automatic resetting

/ non-return valve  
/ connection dimension: DN15  
/ connection type: basic set  
/ min. operating pressure: 1 bar  
/ max. operating pressure: 10 bar

**with plate**



**without plate**



**Technologies**



**Spray types**



**Overview variants**

cover	finish	available from	code no.
with plate	Chrome/Mirror Glass		47440000
	Chrome/Black Glass		47440600
	Matt Black/Black Glass	NEW Q4/2023	47440670
without plate	Chrome		47442000
	Brushed Bronze		47442140
	Brushed Black Chrome		47442340
	Matt Black	NEW Q4/2023	47442670
	AXOR Finish-Plus*		47442XXX

**Required parts:**



Basic set for mixers floor-standing



code no.

10452180

\*AXOR FinishPlus: For further AXOR FinishPlus surfaces please see the AXOR FinishPlus overview on page 4.




Single lever bath mixers floor standing

Optional parts:	For	code no.
	Sealing foil for basic set bath mixer floor-standing	96441000
	Installation plate 320 x 320 mm for single lever bath mixer floor-standing	47440XXX 92271000

Basic set for mixers floor-standing

Features

- / for mounting on unfinished floor
- / suitable for single lever bath mixer, single lever basin mixer and bath spout floor-standing
- / connection dimension: DN15
- / minimum mounting depth: 53 mm
- / maximum mounting depth: 133 mm



code no.
10452180


Optional parts:	code no.	Euro
	Sealing foil for basic set bath mixer floor-standing	96441000 139.90

Bath spouts


Features of all variants

- / 1 function
- / projection 176 mm
- / wall-mounted
- / maximum flow rate at 3 bar: 24 l/min
- / connection dimension: DN15
- / spray type: normal spray

with plate



without plate



Technologies



Overview variants

cover	finish	available from	code no.
with plate	Chrome/Mirror Glass		47410000
	Chrome/Black Glass		47410600
	Matt Black/Black Glass	NEW Q4/2023	47410670
without plate	Chrome		47412000
	Brushed Bronze		47412140
	Brushed Black Chrome		47412340
	Matt Black	NEW Q4/2023	47412670
	AXOR Finish-Plus*		47412XXX


Plates metal

Features of all variants


/ material: metal

/ removable


117



200



245



Overview variants

	length (mm)	finish	available from	code no.	
	117	Chrome		47905000	
		Brushed Bronze		47905140	
		Brushed Black Chrome		47905340	
		Matt Black	NEW	Q4/2023	47905670
		AXOR Finish-Plus*			47905XXX
	200	Chrome		47903000	
		Brushed Bronze		47903140	
		Brushed Black Chrome		47903340	
		Matt Black	NEW	Q4/2023	47903670
		AXOR Finish-Plus*			47903XXX
	245	Chrome		47904000	
		Brushed Bronze		47904140	
		Brushed Black Chrome		47904340	
		Matt Black	NEW	Q4/2023	47904670
		AXOR Finish-Plus*			47904XXX

\*AXOR FinishPlus: For further AXOR FinishPlus surfaces please see the AXOR FinishPlus overview on page 4.


Plates glass

Features of all variants


/ material: glass

/ removable


117



200



245



Overview variants

	length (mm)	finish	code no.
	117	<input type="radio"/> Mirror	47902000
	200	<input type="radio"/> Mirror	47900000
	245	<input type="radio"/> Mirror	47901000


Plates American Walnut

Features of all variants


/ material: walnut  
/ removable

/ since wood is a natural material, each piece is unique, and wood markings may vary


117



200



245



Overview variants

	length (mm)	finish	code no.
	117	<input type="radio"/> Black Walnut	47908000
	200	<input type="radio"/> Black Walnut	47906000
	245	<input type="radio"/> Black Walnut	47907000


Plates Marble Lasa Covelano Vena Oro

Features of all variants


/ material: marble  
/ removable

/ since marble is a natural material, each piece is unique, and marbling markings may vary


117






200



245



Overview variants

length (mm)	finish	code no.
117	 Marble Lasa Covelano Vena Oro	47911000
200	 Marble Lasa Covelano Vena Oro	47909000
245	 Marble Lasa Covelano Vena Oro	47910000

Plates Marble Nero Marquina

Features of all variants

/ material: marble  
/ removable

/ since marble is a natural material, each piece is unique, and marbling markings may vary


117



200



245



Overview variants

length (mm)	finish	code no.
117	 Marble Nero Marquina	47915000
200	 Marble Nero Marquina	47913000
245	 Marble Nero Marquina	47914000


Plates Leather

Features of all variants


/ material: leather

/ removable


117



200



245



Overview variants

	length (mm)	finish	code no.
	117	● Leather	47918000
	200	● Leather	47916000
	245	● Leather	47917000

Mounting plates


Features of all variants

/ the mounting plate is required to attach an individual material to the AXOR MyEdition products without plate  
 / material thickness: recommended 3-5 mm (individual material)


/ material: stainless steel  
 / the corresponding AXOR MyEdition template is required for exact positioning of the individual material on the mounting plate  
 / removable

/ with rubber seal for tight fit  
 / not included: individual material, glue


117



200



245



Overview variants

	length (mm)	code no.
	117	47923000
	200	47921000
	245	47922000

Required parts:

	For	code no.
	Template 117 47923XXX	47924000
	Template 200 47921XXX	47925000
	Template 245 47922XXX	47926000



**Template 117**

**Features**

/ for exact positioning during gluing of the individual material on the AXOR MyEdition mounting

plate # 47923000  
/ the template can be used several times

/ not included: individual material, glue



code no.

47924000

**Template 200**

**Features**

/ for exact positioning during gluing of the individual material on the AXOR MyEdition mounting

plate # 47921000  
/ the template can be used several times

/ not included: individual material, glue



code no.

47925000

**Template 245**

**Features**

/ for exact positioning during gluing of the individual material on the AXOR MyEdition mounting

plate # 47922000  
/ the template can be used several times

/ not included: individual material, glue



code no.

47926000








AXOR

AXOR Universal  
Rectangular Accessories







# AXOR Universal Rectangular Accessories

## A celebration of individual style

Even the smallest details tell something about us and our personality. For individuals, accessories are nothing trivial. They are that certain something. They make a statement that is part of the story. Created in collaboration with Philippe Starck, the new AXOR Universal Rectangular Accessories provide the ideal complement to any AXOR collection with with cubic or rectangular design language. Their clear, sleek design never dominates the scene but provides understated, high-quality accents in bathroom interiors. Among other things the wide range of products includes a shaving mirror, a soap dispenser, paper roll holders and a variety of bath towel holders.

Design: Phillippe Starck



The AXOR Universal Rectangular accessories, shown here in the surface Polished Gold Optic, are high-quality eye-catchers in expressive bathroom designs.




Toothbrush tumbler

Features

/ wall-mounted  
/ material: glass  
/ holder material: metal

/ with mounting material  
/ concealed fastening  
/ drilling distance: 35 mm

/ diameter drill hole: 6 mm



finish	available from	code no.
Chrome		42604000
Brushed Bronze		42604140
Brushed Black Chrome		42604340
Matt Black	NEW Q4/2023	42604670
Brushed Nickel		42604820
Polished Gold Optic		42604990
AXOR Finish-Plus*		42604XXX


Soap dish

Features

/ wall-mounted  
/ material shelf: glass  
/ holder material: metal

/ with mounting material  
/ concealed fastening  
/ drilling distance: 35 mm

/ diameter drill hole: 6 mm



finish	available from	code no.
Chrome		42605000
Brushed Bronze		42605140
Brushed Black Chrome		42605340
Matt Black	NEW Q4/2023	42605670
Brushed Nickel		42605820
Polished Gold Optic		42605990
AXOR Finish-Plus*		42605XXX


Liquid soap dispenser

Features

/ wall-mounted  
/ holder material: metal  
/ material container: plastic  
/ type of soap: liquid soap

/ filling capacity 600 ml  
/ dosage 0.5 ml  
/ with mounting material  
/ drilling distance: 35 mm

/ diameter drill hole: 6 mm  
/ suitable for shower



finish	available from	code no.
Chrome		42610000
Brushed Bronze		42610140
Brushed Black Chrome		42610340
Matt Black	NEW Q4/2023	42610670
Brushed Nickel		42610820
Polished Gold Optic		42610990
AXOR Finish-Plus*		42610XXX


Grab bar

Features

/ wall-mounted  
/ material: metal  
/ length: 340 mm

/ with mounting material  
/ concealed fastening  
/ drilling distance: 300 mm

/ diameter drill hole: 6 mm  
/ suitable for shower



finish	available from	code no.
Chrome		42613000
Brushed Bronze		42613140
Brushed Black Chrome		42613340
Matt Black	NEW Q4/2023	42613670
Brushed Nickel		42613820
Polished Gold Optic		42613990
AXOR Finish-Plus*		42613XXX


Shower door handle

Features

/ material: metal  
/ holder material: metal

/ with mounting material  
/ thickness of glass: 6 - 12 mm

/ diameter drill hole: 6 mm  
/ concealed fastening



finish	available from	code no.
Chrome		42639000
Brushed Bronze		42639140
Brushed Black Chrome		42639340
Matt Black	NEW Q4/2023	42639670
Brushed Nickel		42639820
Polished Gold Optic		42639990
AXOR Finish-Plus*		42639XXX

\* AXOR FinishPlus: For further AXOR FinishPlus surfaces please see the AXOR FinishPlus overview on page 4.


Bath towel holdes

Features of all variants

/ wall-mounted  
/ material: metal

/ with mounting material  
/ diameter drill hole: 6 mm

600/800



Overview variants

product dimensions (mm)	finish	available from	code no.	
600	Chrome		42661000	
	Brushed Bronze		42661140	
	Brushed Black Chrome		42661340	
	Matt Black	NEW	Q4/2023	42661670
	Brushed Nickel		42661820	
	Polished Gold Optic		42661990	
	AXOR Finish-Plus*		42661XXX	
	800	Chrome		42683000
Brushed Bronze			42683140	
Brushed Black Chrome			42683340	
Matt Black		NEW	Q4/2023	42683670
Brushed Nickel			42683820	
Polished Gold Optic			42683990	
AXOR Finish-Plus*			42683XXX	

## Towel holders


## Features of all variants

/ wall-mounted  
/ material: metal  
/ fixed


/ length: 380 mm  
/ with mounting material  
/ drilling distance: 35 mm

/ diameter drill hole: 6 mm  
/ concealed fastening

## single



## double



## Overview variants

number of holder	finish	available from	code no.	
1 holder	Chrome		42626000	
	Brushed Bronze		42626140	
	Brushed Black Chrome		42626340	
	Matt Black	NEW	Q4/2023	42626670
	Brushed Nickel		42626820	
	Polished Gold Optic		42626990	
	AXOR Finish-Plus*		42626XXX	
	2 holders	Chrome		42622000
Brushed Bronze			42622140	
Brushed Black Chrome			42622340	
Matt Black		NEW	Q4/2023	42622670
Brushed Nickel			42622820	
Polished Gold Optic			42622990	
AXOR Finish-Plus*			42622XXX	


## Towel ring

## Features

/ wall-mounted  
/ material: metal  
/ swivelling

/ with mounting material  
/ concealed fastening  
/ drilling distance: 35 mm

/ diameter drill hole: 6 mm



finish	available from	code no.	
Chrome		42623000	
Brushed Bronze		42623140	
Brushed Black Chrome		42623340	
Matt Black	NEW	Q4/2023	42623670
Brushed Nickel		42623820	
Polished Gold Optic		42623990	
AXOR Finish-Plus*		42623XXX	


Towel hook

Features

/ wall-mounted  
/ material: metal

/ with mounting material  
/ concealed fastening

/ drilling distance: 35 mm  
/ diameter drill hole: 6 mm



finish	available from	code no.
Chrome		42611000
Brushed Bronze		42611140
Brushed Black Chrome		42611340
Matt Black	NEW Q4/2023	42611670
Brushed Nickel		42611820
Polished Gold Optic		42611990
AXOR Finish-Plus*		42611XXX


Shelf 300

Features

/ wall-mounted  
/ material shelf: metal  
/ length: 300 mm

/ with mounting material  
/ concealed fastening  
/ drilling distance: 200 mm

/ diameter drill hole: 6 mm  
/ suitable for shower



finish	available from	code no.
Chrome		42644000
Brushed Bronze		42644140
Brushed Black Chrome		42644340
Matt Black	NEW Q4/2023	42644670
Brushed Nickel		42644820
Polished Gold Optic		42644990
AXOR Finish-Plus*		42644XXX



Toilet paper holders


Features of all variants

/ wall-mounted  
/ material: metal


/ with mounting material  
/ concealed fastening

/ drilling distance: 35 mm  
/ diameter drill hole: 6 mm

single



double



Overview variants

version	finish	available from	code no.	
single	Chrome		42656000	
	Brushed Bronze		42656140	
	Brushed Black Chrome		42656340	
	Matt Black	NEW	Q4/2023	42656670
	Brushed Nickel		42656820	
	Polished Gold Optic		42656990	
	AXOR Finish-Plus*		42656XXX	
	double	Chrome		42657000
Brushed Bronze			42657140	
Brushed Black Chrome			42657340	
Matt Black		NEW	Q4/2023	42657670
Brushed Nickel			42657820	
Polished Gold Optic			42657990	
AXOR Finish-Plus*			42657XXX	

\*AXOR FinishPlus: For further AXOR FinishPlus surfaces please see the AXOR FinishPlus overview on page 4.


Spare roll holder

Features

/ wall-mounted  
/ material: metal

/ with mounting material  
/ concealed fastening

/ drilling distance: 35 mm  
/ diameter drill hole: 6 mm



finish	available from	code no.
Chrome		42654000
Brushed Bronze		42654140
Brushed Black Chrome		42654340
Matt Black	NEW Q4/2023	42654670
Brushed Nickel		42654820
Polished Gold Optic		42654990
AXOR Finish-Plus*		42654XXX


Toilet brush holder wall-mounted

Features

/ wall-mounted  
/ material: metal  
/ with cover lid

/ with removable insert  
/ with mounting material  
/ concealed fastening

/ drilling distance 35 mm  
/ diameter drill hole: 6 mm



finish	available from	code no.
Chrome		42655000
Brushed Bronze		42655140
Brushed Black Chrome		42655340
Matt Black	NEW Q4/2023	42655670
Brushed Nickel		42655820
Polished Gold Optic		42655990
AXOR Finish-Plus*		42655XXX


Shaving mirror

Features

/ material: mirror glass  
/ material frame: metal  
/ mirror is inclinable

/ enlargement: 1.7-times  
/ with mounting material  
/ concealed fastening

/ drilling distance: 35 mm  
/ diameter drill hole: 6 mm  
/ wall-mounted



finish	available from	code no.
Chrome		42649000
Brushed Bronze		42649140
Brushed Black Chrome		42649340
Matt Black	NEW Q4/2023	42649670
Brushed Nickel		42649820
Polished Gold Optic		42649990
AXOR Finish-Plus*		42649XXX

## IMPRINT

**Publisher:**  
AXOR / Hansgrohe SE


**Photography:**  
Bohmann Sjöstrand  
Uli Maier  
Markus Wendler

3D Artist  
Renderfolk

Print:  
B&K Offsetdruck GmbH, Ottersweier

**Date:**  
Januar 2023

All products subject to availability. Availability may be temporarily affected by material shortages, supply chain disruption or other force majeure events. Please contact us for details. Subject to change in the interest of technical advancement. The prices quoted are recommended retail prices and do not include VAT. Errors and omissions excepted. Printed in Germany on 100% chlorine free bleached paper.



AXOR / Hansgrohe SE  
P.O. Box 1145  
77757 Schiltach  
Germany  
info@axor-design.com

AXOR-DESIGN.COM

